

Mobile Tables MOBILE BENCH UNITS




National Public Seating



MOBILE BENCH UNITS IN USE















National Public Seating



BENCH TABLES SHAPES & DIMENSIONS

MTFB Series Rectangle						
Model #	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)	
MTFB8 MTFB10 MTFB12 MBTS	8-12 10-14 12-16 Series	30"x97" 30"x121" 30"x145"	56"x34½"x59%" 56"x35"x68½" 56"x35½"x81"	29"-17" 29"-17" 29"-17"	25"-13" 27"-15" 32"-20"	
Model# MBTB8 MBTB10 MBTB12	Seats 8-10 10-12 12-16	Table WxL 30"x97" 30"x121" 30"x145"	Folded Dimensions 56"x34½"x59¾" 56"x35"x68½" 56"x35½"x81"	Table-Seat Height (Standard) 29"-17" 29"-17" 29"-17"	Table-Seat Height (Custom) 25"-13" 27"-15" 32"-20"	
MTRS	ieries	Round				



Model #	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTR60B	8	60"x60"	34"x86"x54½"	29"-17"	25"-13" 27"-15" 32"-20"



Model #	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MSTB8	8-12	30"x97"	56"x34½"x59¾"	29"-17"	25"-13" 27"-15"
MSTB10	10-14	30"x121"	56"x35"x68 ½"	29"-17"	
MSTB12	12-16	30"x145"	56"x35½"x81"	29"-17"	32"-20"

METB Series | Elliptical



Model #	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
METB	10-12	45"x121"	72"x35½"x81½"	29"-17"	25"-13" 27"-15" 32"-20"





National Public Seating

National Public Seating 🛞

MOBILE BENCH UNITS SPECIFICATIONS

Features



Casters Lift off Floor to Prevent Table from Moving When Opened




No Need to Reach in! Storage

Latch Release Handles on Both

Sides of Table to Unlock. Locks

Automatically When Folded



Tamper-Free, Non-Marring,



4" Double Ball Bearing Non-Marring Heavy-Duty Casters With 275 Lb. Weight Capacity Ea



Protect Edge Option Prevents Food from Being Trapped Between the Laminate and Edge.



"EasyLift" Torsion Bar System. One Person Can Easily Lift and Fold Table for Convenient Storage



Self-Leveling Automatic Down Lock Ensures Engagement Every Time Table Is Fully Opened



14-Gauge Steel Framing



Table Locks Partially Open for Easy Floor Cleaning



Table Core Options Bench Features , View our Laminate and Edge Design Options 3/4" MDF 3/4" Particleboard 3/4" Plywood Our Exclusive Curved 3/4" Thick Benches (MD) (PB) (PW) Frame Design Prevents Reinforced with Tripping During Entry 16-Gauge Aprons sont Bench Combinations August Shapes Frame Color Options Rectangular Bedrock Swerve (MT) (MST) (MBT) Chrome Black Powdercoating (CR) (PC) Elliptical Round Octagon (MET) (MTR) (MTO) Fillet. Octagon and Round Table Table/Seat Heights For non-standard heights add code to end of model number 29"/17" 32"/20" 25"/13" 27"/15" code: 27 standard code: 32 code: 25 View our Laminate and Edge Design Options Model Number Configuration **ADA Configurations** Model Number conditional based on wheelchair width Core Frame **Bench Laminate** MTFB8 - PW PE CR CH GY Edge **Table Top Laminate** Add custom height and/or ADA code to the end of model number 2 WEEKS MTFB12-MDPEPCGYGY (Grey Nebula Top & Bench) MTR60B-MDPEPCGYGY (Grey Nebula Top & Bench)



National Public Seating

MOBILE TABLES ADVANTAGES & BENEFITS

Sophistication made Simple with Safety in mind.

NPS Mobile Tables are sophisticated in design yet simple to operate. Offering enhanced safety features giving you complete peace of mind.



Frame Design Intelligent steel understructure design supports table tops and seating providing ease of operation and maintenance.

Table Top Apron Support

- Each top is supported by 2" deep, 14-gauge steel aprons capped at the ends with riveted plastic protectors.
- Aprons and brackets are fastened to wood with custom designed tamper-resistant screws with superior holding
 power while still easily serviceable if the need arises.
- Tops are supported between the leg top tubes and wood with spacers.

Leg Assembly



National

ublic

- Structural leg components are comprised of 1¹/₄" diameter, 14-gauge steel tubing.
- Legs and stool columns are constructed of 1¹/₄" diameter, 14-gauge steel tubing and braced horizontally to the stool support column on the opposite side of the table to resist bending.

Lock Rod



- Heavy duty 7/16" diameter lock rod is chrome plated to resist wear.
- Tamper resistant lock nuts on all down lock assemblies with a self-adjusting hinge lock ensure that the down lock engages every time.

Storage Lock

• Heavy duty storage lock is comprised of a 1¹/₄" square tube with heavy-duty catch. Locks automatically in storage position and easily release from either side of the table when opening.

Table Top & Seats

Core



- Available in MDF, Particleboard, or Plywood.
- Tops and benches are surfaced with high pressure laminate bonded to a 3/4" thick AC grade core, sealed underneath with a poly backer for T-molded tabletops and a phenolic backer sheet for tabletops with Protect Edge. This is especially helpful when cleaning the underside of the table.

Edge (for table tops and benches)



- Available with Protect Edge or Vinyl T-Molding.
- Protect Edge is sealed with a polyure than eepoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.
- Vinyl T-molding is secured by staples to the top's underside approximately every 10".

Seat

Stools

- Stools are injection molded with a minimum of 25 0z. of rubber-modified, high impact polystyrene materials measuring 13" in diameter.
- Ribs, which extend from the outer perimeter of the stool to the mounting hub in the center, are reinforced to resist failure with 12 integrally molded, tapered ribs.
- Wobble-free stools are mounted quickly without "wobble" with our custom designed serrated head nut and bolt. Nut also has nylon locking inserts to ensure stools stay tight.
- Power tools are recommended for safe and secure assembly.





MOBILE TABLES ADVANTAGES & BENEFITS

Hardware

Table Top Screws



• Serrated head and thick threading provides superior holding power to frame with the ability to be serviced easily in the field.

• Tamper resistant

Flower Glides and Tube Closures

• Made from glass-infused nylon and spring steel, will not break or fall out.

Casters

- 4" heavy-duty, double ball-bearing casters
- Weight capacity of 275 lbs. per caster
- Hard rubber, non-marring wheels

Operation

Entrances (for bench units)

• Each bench is designed for easy entry on both ends.

Locking - Opening



• A gravity lock automatically locks the table in the open position. The lock is disengaged manually, capable of being operated from both sides of the table.

Locking - Folding

• The storage lock latch automatically locks the table in the folded storage position. The lock is disengaged manually, capable of being operated from both sides of the table and within easy reach.

Custom Torsion Bar System



- Easy opening and closing via a perfectly balanced torsion bar system.
- Each unit includes 1 to 5 torsion bars determined by table size and core material.
- Each torsion bar is at a specific angle based on weight distribution.

Safety

Lift-Off Casters



- Mobile tables incorporate the beneficial caster lift-off design in which casters lift off the floor in the open position.
- Lift-off casters do not protrude past the seats so they are not a tripping hazard.

Midway Position Lock



• Secures the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching.

Storage Lock Latch



- Vertical adjustment ensures that the table always locks safely into the folded position.
- UL CERTIFIED: Tested for 7,000 open/close cycles exceeding the UL testing standard of 6,000 cycles.
- SAFETY POSITION: Folds in teepee position to prevent tipping.

National Public Seating


DESIGN OPTIONS - EDGES & CUSTOM LOGO



Custom Logo Options

Upcharge and extended lead times apply

National Public Seating







National Public Seating 🔞

DESIGN OPTIONS - LAMINATES




National Public Seating

 \mathbf{z}

National Public Seating

DESIGN OPTIONS - LAMINATES



May be subject to minimum quantity and upcharge

Milsonart[®]





