

SCR1400WLH



69.75" x 23.63" x 23.75" (H x W x D)

Commercial beverage merchandiser with 12.6 cu.ft. capacity, digital thermostat and self-closing door with a left hand swing

Highlights:

Commercially approved and CalCode compliant

Digital thermostat offers precise and convenient temperature control

Recessed LED lighting offers attractive presentation of stored products

Product Features:

Slim fit	Just 24" wide and deep for an easy fit in any setting
Commercially approved	ETL-S listed to NSF standards for commercial use
Glass door with stainless steel trim	Heat-safe design offers safe display of stored products
Self-closing door	Door will automatically close when left ajar, preventing items from accidentally being left exposed to ambient temperatures
Professional handle	Elegant chrome handle finishes the look
Factory installed lock	Keyed security on the refrigerator door
Recessed LED lighting	On/off button to illuminate stored products with an attractive and energy efficient glow
Frost-free operation	No-frost convenience requires no manual defrosting
Adjustable shelves	Fifteen glide positions accommodate a variety of sizes, with heavy duty wired shelving



SCR1400WLH Specifications:

Overview	
Height of Cabinet	69.75" (177 cm)
Width	23.63" (60 cm)
Depth	23.75" (60 cm)
Depth with Handle	25.63" (65 cm)
Depth with door at 90°	46.75" (119 cm)
Capacity	12.6 cu.ft. (357 L)
Defrost Type	Frost-Free
Door	Glass
Cabinet	White
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Amps	1.7
Voltage/Frequency	115 V AC/60 Hz
Weight	151.0 lbs. (68 kg)
Shipping Weight	190.0 lbs. (86 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
Refrigerator Features	
Sabbath Mode	Yes
Door Swing	LHD
Reversible	No
Shelf Type	Wire
Shelf Qty	6
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior
Refrigerant Type	R600a
Refrigerant Amount	1.76oz.
High Side PSI	270.0
Low Side PSI	105.0
Level Legs Qty	4
Interior Light	Yes
Temperature Range	36°F to 43°F
Dimensions	
Interior Height	60.25" (153 cm)
Interior Width	20.0" (51 cm)

Interior Depth	17.5" (44 cm)
Compressor Step Height	4.0" (10 cm)
Compressor Step Width	20.0" (51 cm)
Compressor Step Depth	5.5" (14 cm)



