U3 120/240V

Height: 32.4" Width: 34.5" Depth: 21.0" (82.3cm) (87.6cm) (53.3cm)



- · Half-batch option
- Large water tank-over 20gal
- · All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak
- PROP 65 Warning Decal included in packaging with equipment



Agency:





Specifications

Product #: 20500.0001
Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Additional Features

Electrical & Capacity

120/240	28	6725	No	<u>-</u>	310	60°F (15.5°C)	1	pius Ground	60
Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

	r lamenig reganisments							
PSI		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	3/8" Male Flare Fitting	-				


CAD Drawings

2D	Revit	KLC
•		

MARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



	Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	32.4 in.	34.5 in.	21.0 in.	30.7 in.	26.5 in.	36.5 in.	100.850 lbs	17.201 ft³	
Metric	82.3 cm	87.6 cm	53.3 cm	78.0 cm	67.4 cm	92.7 cm	45.746 kgs	0.487 m³	



Related Products & Accessories: U3 120/240V(20500.0001)





SYSTEM, WEQ-25(2).2L

Product #: 56000.0025

SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101

SYSTEM, WEQ-25(2).2

Product #: 56000.0028

CARTRIDGE, WQ-55

(3).2L

Product #: 56000.0102

Related Products & Accessories: U3 120/240V(20500.0001)













Serving & Holding Options: U3 120/240V(20500.0001)





