

JET AIR OVEN PROOFER



Jet Air Oven/Proofer Combination, Electric, Capacity (6) 18"x26" Pans, Side Loading, Steam Injection, Reversing Fan System, Digital Temperature Control and Timer, (9) Pan Proofer with Auto Water Fill, Glass Doors, Stainless Steel Construction, Casters, cETLus, NSF



PROJECT	
ITEM NO.	
NOTES	

MODEL NUMBER: JAOP6SL

FEATURES

□ Advanced

Programmable Controls

- 99 Programmable Recipes
- 8 Stage Baking
- Digital Temperature Control up to 500°F (260°C)
 - Fast Preheat (reaches temperature in 15 minutes)
- **Digital Timer**
- Jet Air Reversing Fan System with Variable Air Speeds & Fan Delay (some pan rotation required)
- Door Switch Cutoff for Fan Blower
- **Shot & Pulse Steam Capabilities**
- Available in Energy Efficient Gas or Electric
- USB Port for Uploading & Downloading Recipe
- Manual Controls for Proofer (separate heat & humidity)
- Available in Energy Efficient Electric only

CONSTRUCTION

- **Stainless Steel Construction**
- Full View Heat Reflective Thermal Glass Doors with Magnetic Latches
- **Brightly Lit Interior**
- Fully Insulated and Completely Sealed
 - 4 Swivel Casters (2 locking)

CLEARANCES

Minimum Clearance from Combustible Materials:

- 1" (25mm) Sides & Back
- 4" (102mm) on Non-Combustible Floor
- 12" (305mm) Top

OPTIONS & ACCESSORIES

- Water Filter (PLF240) [Recommended]
- High Temperature Gasket (HTG001) [Recommended for Temperatures above 400°F/205°C]
- Humidified Warmer/Proofer (temp. up to 180°F) (HW001)
- Perforated Nickel Plated Pizza Decks (GRPIZ3)

WARRANTY

One Year Labor & Two Year Parts

Follow Us

Doyon

Model	Crated Weight	Overall Dimensions			Interior D			Dimensions Proofer			Pan Capacity (18"x26")		Shelf Spacing	
		w	D	н	w	D	Н	w	D	н	Oven	Proofer	Oven	Proofer
JAOP6SL	965	38 3/8"	37 5//8"	73"	26 3/4"	19 1/2"	26 1/4"	27"	29"	26 1/2"		0	3 1/2"	3"
	(438)	(975)	(956)	(1854)	(679)	(495)	(667)	(686)	(737)	(673)	ь	9	(89)	(76)
















NSF




PROJECT ITEM NO. **NOTES**

MODEL NUMBER: JAOP6SL

DRAWINGS



JAOP6SL Side



JAOP6SL **Front**

Model	Water Inlet	Gas System			Electrical System *ground wire not included						
		BTU	D.H	G.I	Volts	Phases	Amps	kW	Wires*	Hz	
JAOP6SL	1/4" (6)	-	-	-	208 240	1/3 1/3	64/46 59/42	13.8 13.8	2/3 + ground 2/3 + ground	60	



5600 13th Street, Menominee, MI 49858

Follow Us

Doyon



906.863.4401 | 800.338.9886 | www.doyon.qc.ca







