CWTF15-TC

Height: 18.2" Width: 9.0" Depth: 21.4" (46.2cm) (22.9cm) (54.4cm)



- Models are space saving 9" wide (22.9cm)
- Accepts thermal carafe up to 8.5" (21.6 cm) tall
- All stainless steel construction
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- Use in quick turn environments where high quality coffee is continuously refreshed
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:





Additional Features

Specifications

Faucet: Upper

Product #: 12950.0360 Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
120	11.4	1370	Yes	NEMA 5-15P	62	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

CAD Drawings

	0		0			
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		


WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle



Last Updated:
 08/15/2023

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	18.2 in.	9.0 in.	21.4 in.	24.8 in.	11.9 in.	25.9 in.	32.450 lbs	4.401 ft ³	
Metric	46.2 cm	22.9 cm	54.4 cm	62.9 cm	30.2 cm	65.7 cm	14.719 kgs	0.125 m³	



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:


 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/15/2023

 For most current specifications and other info visit bunn.com.
 08/15/2023

Related Products & Accessories:CWTF15-TC(12950.0360)







Serving & Holding Options: CWTF15-TC(12950.0360)



