



MODEL

35SSA, 35SSAD

70SSA

Installation and Operation Instructions

2M-Z5374 Rev. L 10/27/11



35SSA









These symbols are intended to alert the user to the presence of important operating and maintenance instructions in the manual accompanying the appliance.

RETAIN THIS MANUAL FOR FUTURE REFERENCE NOTICE

Using any part other than genuine Star factory supplied parts relieves the manufacturer of all liability.

Star reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While Star International Holdings Inc., Company exercises good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

MAINTENANCE AND REPAIRS

Contact your local authorized service agent for service or required maintenance.

Please record the model number, serial number, voltage and purchase date in the area below and have it ready when you call to ensure a faster service.

Authorized Service Agent Listing

Model No.	Reference the listing provided with the unit		
Serial No.	_ or		
Voltage	for an update	ed listing go to:	
Purchase Date	Website: E-mail	www.star-mfg.com Service@star-mfg.com	
	Service Help	Desk	
	Business Hours:	8:00 am to 4:30 p.m. Central Standard Time	
	Telephone:	(314) 678-6303	
	Fax:	(314) 781-2714	
	E-mail	Parts@star-mfg.com Service@star-mfg.com Warranty@star-mfg.com	
	Website:	www.star-mfg.com	
	Mailing Address:	Star International Holdings Inc., Company 10 Sunnen Drive St. Louis, MO 63143 U.S.A	

Electrical Specifications						Water Capacity	
Model	Capacity	Voltage	Watts	Amps	Cord	w/o juice tray	w/juice tray
JECC A	0FCCA 170	120V	000	6.6	NEMA 5-15P	11.OT	ООТ
35SSA 170	230V	800	3.5	CEE 7/7	11QT	9QT	
70004	70004 220	120V	1,000	8.3	NEMA 5-15P	- 14QT	12QT
70SSA	230	230V		4.3	CEE 7/7		

Dimensions					
	Width Depth		Height		
35SSA	14 3/4" (37.5cm)	16 1/2" (41.9cm)	15 5/8" (39.7cm)		
70SSA	18 3/4" (47.6cm)	16 1/2" (41.9cm)	17 5/8" (44.8cm)		



This equipment is designed and sold for commercial use only by personnel trained and experienced in its operation and is not sold for consumer use in and around the home nor for use directly by the **CAUTION** general public in food service locations.

VOLTAGE

The steamer is equipped for use on the voltage specified on the nameplate.



DO NOT CONNECT TO ANY OTHER TYPE OF CURRENT OR THE MACHINE WILL BE SERIOUSLY DAMAGED.

INSTALLATION/OPERATION PROCEDURE

- 1. Place the unit on a level surface. Pour approximately 9 (Model 35) to approximately 12 (Model 70) quarts of water into the water pan. You can add an additional 2 quarts when not using the juice pan. Do not overfill. Using distilled water will prolong the life of the heating element.
- 2. Turn the switch to "ON" position and set the thermostat control on "HIGH" until steam is generated. Normal heat up time is 30 minutes. Using hot water will reduce heat up time.
- 3. After pre-heat, place hot dogs on the top or bottom hot dog shelf. Arrange the hot dogs so that there is free circulation of steam. A full load of refrigerated hot dogs will take approximately 45 minutes to reach serving temperature.
- 4. After the hot dogs are brought up to serving temperature, turn the knob to a 3 or 4 setting and add the buns to the wire rack in the bun compartment. One can control the steam in the bun compartment by opening the water fill compartment at the front of the bun compartment.
- 5. To hold the product, set the thermostat control at setting 3 or 4.
- 6. Keep the door closed when not serving.
- 7. Add water as it becomes necessary to maintain the water level. (Add hot water for best results.) All models are equipped with a low water level indicator. When the light comes on, add water.



DO NOT ALLOW THE UNIT TO OPERATE DRY; THIS MAY DAMAGE THE HEATING ELEMENT. ADD WATER WHEN REQUIRED.

AT THE END OF EACH DAY'S OPERATION

- 1. Disconnect the power cord from the outlet.
- 2. Remove any remaining hot dogs and buns.
- 3. Allow to cool and drain the water through the drain pipe.
- 4. Remove the inside components of the steamer. It is easiest if the suggested order is followed:
 - a. Remove the divider.
 - b. Remove the wire bun rack.
 - c. Remove the top hot dog shelf.
 - d. Remove the bottom hot dog shelf.
 - e. Remove the bun shelf.
 - f. Remove the juice tray.
- 5. Reverse the order to reassemble the unit.

POSSIBLE SOURCES OF TROUBLE AND SUGGESTED REMEDIES Casing of hot dogs burst.

- 1) Too much steam is being generated. Move the thermostat control to a lower setting.
- 2) When using frozen hot dogs, allow them to thaw before putting inside the unit.

Buns too soggy or too dry.

Too much steam or too little steam will produce this condition. Control the amount of steam by adjusting the thermostat control as required or adjust the humidity control lever located in the bun compartment on the bun tray. Do not put buns in the unit while hot dogs are cooking on high. They will be too soggy.

Some buns are better adapted for steaming than others; with some experimentation you will find the one best suited to your needs.

THOROUGHLY INSPECT YOUR UNIT ON ARRIVAL

This unit has been tested for proper operation before leaving our plant to insure delivery of your unit in perfect condition. However, there are instances in which the unit may be damaged in transit. In the event you discover any type of damage to your product upon receipt, you must immediately contact the transportation company who delivered the item to you and initiate your claim with same. If this procedure is not followed, it may affect the warranty status of the unit.

LIMITED EQUIPMENT WARRANTY

All workmanship and material in Star products have a one (1) year limited warranty on parts & labor in the United States and Canada. Such warranty is limited to the original purchaser only and shall be effective from the date the equipment is placed in service. Star's obligation under this warranty is limited to the repair of defects without charge, by the factory authorized service agency or one of its sub-agencies. Models that are considered portable (see below) should be taken to the closest Star service agency, transportation prepaid.

- > Star will not assume any responsibility for loss of revenue.
- > On all shipments outside the United States and Canada, see International Warranty.
- * The warranty period for the Ultra-Max, Hot Plates, Griddles, Charbroilers is (3) years parts & labor.
- * The warranty period for the Star-Max, Charbroilers, Griddles, Hot Plates, Fryers & Finishing Oven is (2) years parts & labor.
- * The warranty period for the JetStar six (6) ounce & Super JetStar eight (8) ounce series popcorn machines is two (2) years.
- * The warranty period for the Chrome-Max Griddles is five (5) years on the griddle surface. See detailed warranty provided with unit.
- The warranty period for Teflon/Dura-Tec coatings is one year under normal use and reasonable care. This warranty does not apply if damage occurs to Teflon/Dura-Tec coatings from improper cleaning, maintenance, use of metallic utensils, or abrasive cleaners, abrasive pads, product identifiers and point-of-sale attachments, or any other non-food object tha comes in continuous contact with the roller coating. This warranty does not apply to the "non-stick" properties of such materials.
- > This warranty does not apply to "Special Products" but to regular catalog items only. Star's warranty on "Special Products" is six (6) months on parts and ninety (90) days on labor.
- > This warranty does not apply to any item that is disassembled or tampered with for any purpose other than repair by a Star Authorized Service Center or the Service Center's sub-agency.
- > This warranty does not apply if damage occurs from improper installation, misuse, wrong voltage, wrong gas or operated contrary to the Installation and Operating instructions.
- > This warranty is not valid on Conveyor Ovens unless a "start-up/check-out" has been performed by a Factory Authorized Technician.

PARTS WARRANTY

Parts that are sold to repair out of warranty equipment are warranted for ninety (90) days. The part only is warranted, the labor to replace the part is NOT warranted.

SERVICES NOT COVERED BY WARRANTY

- Travel time and mileage rendered beyond the 50 mile radius limit
- Mileage and travel time on portable equipment (see below)
- Labor to replace such items that can be replaced easily during a daily cleaning routine, ie; removable kettles on fryers, knobs, grease drawers on griddles, etc.
- 4. Installation of equipment
- Damages due to improper installation
- Damages from abuse or misuse
- Operated contrary to the Operating and Installation Instructions 7.
- Cleaning of equipment
- Seasoning of griddle plates

- 10. Voltage conversions 11. Gas conversions
- 12.
- Pilot light adjustment
- Miscellaneous adjustments
- Thermostat calibration and by-pass adjustment
- Resetting of circuit breakers or safety controls or reset buttons 15
- 16. Replacement of bulbs
- Replacement of fuses 17.
- Repair of damage created during transit, delivery, & 18.

installation OR created by acts of God PORTABLE EQUIPMENT

Star will not honor service bills that include travel time and mileage charges for servicing any products considered "Portable" including items listed below. These products should be taken to the Service Agency for repair:

- * The Model 510FD, 510FF Fryer.
- * The Model 526TOA Toaster Oven.
- * The Model J4R, 4 oz. Popcorn Machine.
- * The Model 518CMA & 526CMA Cheese Melter.
- * The Model 12MC & 15MC & 18MCP Hot Food Merchandisers.
- * The Model 12NCPW & 15NCPW Nacho Chip/Popcorn Warmer. * All Hot Dog Equipment except Roller Grills & Drawer Bun Warmers.
- * All Nacho Cheese Warmers except Model 11WLA Series Nacho Cheese Warmer.
- * All Condiment Dispensers except the Model HPD & SPD Series Dispenser.
- * All Specialty Food Warmers except Model 130R, 11RW Series, and 11WSA Series.
- * All OCS/RCS Series Toasters except Model OCS3 & RCS3 Series.
- * All Fast Steamer Models except Direct Connect Series.

- ALL:
- * Pop-Up Toasters * Butter Dispensers
- * Pretzel Merchandisers (Model 16PD-A Only)


Email: service@star-mfg.com

- * Pastry Display Cabinets
- * Nacho Chip Merchandisers
- * Accessories of any kind
- * Sneeze Guards
- * Pizza Ovens
- (Model PO12 Only)
- * Heat Lamps
- * Pumps-Manual

The foregoing warranty is in lieu of any and all other warranties expressed or implied and constitutes the entire warranty.

FOR ASSISTANCE

Should you need any assistance regarding the Operation or Maintenance of any Star equipment; write, phone, fax or email our Service Department. In all correspondence mention the Model number and the Serial number of your unit, and the voltage or type of gas you are using.



MODEL 35SSA, 70SSA

STAR MANUFACTURING INTERNATIONAL, INC.

SK1890 REV. B

PARTS LIST October 27, 2011, Rev. L

MODEL 35SSA/70SSA Hot Dog Steamer/Bun Warmer

Fig No	Part No	Qty	Description	Application
1	A3-ST3014		-	35SSA
1	A3-ST7009	1	Top Assembly	70SSA
	A3-Z5205		Chalf Day	35SSA
2	A3-Z5324	1	Shelf - Bun	70SSA
3	A3-Z5198	2	Cover - Bun Shelf	
	A3-ST3017		01.164	35SSA
4	A3-ST7010	1	Shelf Assy Buns	70SSA
	A3-ST3013		W. T. I.A. II	35SSA
5	A3-ST7011	1	Water Tank Assembly	70SSA
,	A3-Z5204			35SSA
6	A3-Z5327	1	Shelf - Hot Dog	70SSA
_	A3-ST3016	_	Shelf Assy Hot Dogs	35SSA
7	A3-ST7012	1		70SSA
	A3-Z3967	_	5.0	35SSA
8	A3-Z4131	1	Bottom	70SSA
	A3-Z5312	_		35SSA
9	A3-Z5331	1	Juice Tray	70SSA
		1	Shelf, Top - Hot Dog	35SSA
10	A3-Z5314	2		35SSAD
	A3-Z5332	1		70SSA
- 11	A3-Z5199	_	Divider	35SSA
11	A3-Z5322	1		70SSA
10	A3-Z5360	_	1 Chain - Door	35SSA
12	A3-Z5361	1		70SSA
40	A3-ST3015		Door Assembly	35SSA
13	A3-ST7013	1		70SSA
14	2A-Z5202		Rod - Hinge	35SSA
14	2A-Z5329	1		70SSA
15	A3-Z5313		D D I I	35SSA
15	A3-Z5326	1	Bun Basket	70SSA
4.	2R-Z6850	_	Knob	
16	PS-ST3020	1	Thermostat Replacement Kit, w/knob (manuf. prior t	o 10-12-2003)
	A3-ST3012			35SSA
17	A3-ST7002		Assembly - Lower Body	70SSA
	2E-Z14428		Relay DPDT 15A/120V	
18	2E-Z4358	1	Relay DPDT 230V	
19	2E-Z1858	1	Switch - Lighted	
20	2E-Z4148	1	Switch Splash Guard	
21	2J-Z2329	1	Pilot Light	
22	PS-ST7016	1	Float Switch Assembly	
23	2K-7889	1	Bushing Heyco SR-11-2	
		· ·	1 3 3	

IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED INCLUDE MODEL AND SERIAL NUMBER

PAGE 1 2

Some items are included for illustrative purposes only and in certain instances may not be available.



PARTS LIST

MODEL 35SSA/70SSA Hot Dog Steamer/Bun Warmer


Fig No	Part No	Qty	Description	Application
24	A3-ST3006	1	Cordset Assembly - 120V	
24	A3-ST3019	'	Cordset Assembly - 230V	
25		1	Nameplate	
26	A3-35219	1	Cap & Chain	
27	2A-Y3405	4	Foot	
28	2P-Y3404	4	Plug - Rubber	
29	2M-Z5539	1	Label - Control Panel	70SSA
29	2M-Z5540	1	Label - Control Panel	35SSA
30	2M-Z4035 1 Labe	Label - Body	35SSA	
30	2M-Z4081	1	Laber - Bouy	70SSA
	2N-Z4058		Element, 1000W / 120V	70SSA
31	2N-Z4359	1	Element, 1000W / 230V	70SSA
31	2N-Z5252] '	Element, 800W / 120V	35SSA
	2N-Z5420		Element, 800W / 230V	35SSA
32	2I-Y6404	2	O-Ring	
22	2T-Z7202	1	Thermostat (manufactured after 10-12-2003)	
33	PS-ST3020	1	Thermostat Replacement Kit, w/knob (manufactured	I prior to 10-12-2003)
34	2C-1825	11	Washer #8 Ext. Stl. NP	
35	2C-2556	11	Nut 8-32 Hex. Stl. NP	
36	2C-1488	2	Screw 6-32 x 3/8 RHP Stl. NP	
37	2C-2553	2	Nut 6-32 Hex. Stl. NP	
38	2C-6349	6	Screw #8 x 3/8 B Thrd. Stl. NP	
39	2C-Y1451	2	Rivet 1/8 x .313 Pop Al. Sm.	
40	2C-1640	3	Screw 8 x 1/4 Type A RH NP	
41	2C-Y5059	4	Rivet 3/16 x .675 Pop. Al. Am.	
42	2C-2581	2	Nut 1/2-20 Br. Acord NP	
43	A3-Z7598	1	Thermostat Reinforcement Plate	

IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED INCLUDE MODEL AND SERIAL NUMBER

PAGE 2 0F 2

Some items are included for illustrative purposes only and in certain instances may not be available.





MODEL: 35SSA - 70SSA

THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INTL. INC. NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.

STAR MANUFACTURING INTERNATIONAL INC. SK1832 Rev D 3/12/2006