## JDF®-2S Lit Door

Height: 33.4" Width: 10.5" Depth: 27.3" (84.8cm) (26.7cm) (69.3cm)



- Patented High Intensity Mixing System delivers consistent quality beverages in the cup - cup after cup, from the top of the cup to the bottom of the cup
- Quick dispense with 1.0 to 1.5oz (29.6 to 44.4mL) per second flow rate
- 7" (17.8cm) cup clearance accommodates most juice containers
- Both push and hold dispense and optional single size portion control dispense available in the same dispenser
- One dispenser delivers both frozen and ambient concentrate products to maximize profitability by providing greater flexibility in product offerings
- · Service friendly design makes set up and maintenance simple
- Burst Capacity: At rate of one 12 oz drink/min, 70 drinks before exceeding 41°F (75°F ambient and 75°F incoming water temp)
- Pumps and Mixes most 2+1 to 11+1 concentrates accurately and consistently, including 4+1 and 5+1 high viscosity concentrates
- LED lighted door graphics bring high visibility to front-of-house applications

Agency:





### **Specifications**

**Product #:** 37900.0008 **Door:** Lit

Flavors: 2 Flavors Refrigerant: R-134A

Water Access: Plumbed Ice Bank: 8.00 lbs (3.629 kgs)

Finish: Black Dispense: Push Button

### **Electrical & Capacity**

Volts*	Amps	Amps Watts 4.5 540	Attached Yes	Attached Plug Type	236ml cups/hr	Temp.	Phase	plus Ground	Hertz 60
			Cord		8oz cups/hr	Input H <sup>2</sup> O		# Wires	

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements

1 1411161	9	1011101110	
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-100	138-689	3/8" Male Flare Fitting	-

## CAD Drawings


Additional Features


2D	Revit	KLC
•		


MARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.








Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	33.4 in.	10.5 in.	27.3 in.	43.7 in.	22.8 in.	30.5 in.	115.110 lbs	17.543 ft³
Metric	84.8 cm	26.7 cm	69.3 cm	111.0 cm	57.8 cm	77.5 cm	52.214 kgs	0.497 m³




# Related Products & Accessories: JDF®-2S Lit Door(37900.0008)





















Serving & Holding Options: JDF®-2S Lit Door(37900.0008)
*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

