

# HIGH FLOW CSR QUAD-7FC SYSTEM

## DELIVERS PREMIUM QUALITY WATER FOR HIGH FLOW COMBINATION APPLICATIONS

High Flow CSR Quad 7FC System: EV9329-74 7FC Replacement Cartridge: EV9692-61 (1 PK) EC210 Replacement Cartridge: EV9534-26 (6 PK) SS-XL ScaleStick Cartridge: EV9799-42 (6 PK)



#### **INSTALLATION TIPS**

- Choose a mounting location capable of safely supporting the full weight of the system when in operation.
- Use 3/4" water line.
- Fountain equipment connections are made to the outlet part of the system before the SR-X System.
- Coffee brewer and ice machine connections are made after the SR-X Feeder; a tee is required.
- Install vertically with cartridges hanging down and allow 2 ½" (6.35 cm) clearance below the cartridge for easy replacement.
- Flush cartridges by running water through flushing valve for five (5) minutes at full flow.

#### **APPLICATIONS**

- Multiple Equipment and Combination Applications
- High-Volume Installations

#### **FEATURES • BENEFITS**

- Provides premium quality water to high flow fountain, coffee and ice machines
- Sanitary cartridge replacement is simple, quick and clean; internal filter parts are never exposed to handling or contamination
- Proprietary Fibredyne<sup>™</sup> II filtration media effectively inhibits the growth of bacteria on the filter media that decreases product life
- Extended-life Pentair<sup>§</sup> Everpure<sup>§</sup> 7FC Filter Cartridges feature balanced chemical and mechanical reduction for optimum performance in varying water qualities
- Exclusive Fibredyne II submicron carbon block technology provides superior chlorine taste & odor reduction and micro-filters dirt and

#### **OPERATION TIPS**

- Replace cartridge when flow rate becomes inconveniently slow or before rated capacity is reached. It is recommended to replace cartridge at least once per year.
- Change cartridges when capacity is reached or when pressure falls below 10 psi (0.7 bar).
- Change SS-XL Cartridge before Hydroblend" compound is completely used up.
- Change Everpure EC210 Prefilter Cartridge when excessively dirty.
- Always flush the filter cartridge at time of installation and cartridge change.

particles as small as 0.2 micron in size by mechanical means


- Reduces chlorine taste & odor and other offensive contaminants that can adversely affect the taste of beverages
- Increases the overall efficiency of foodservice equipment
- Optimal flow rate and contaminant reduction capacity with prefiltration for maximum performance
- Pentair Everpure SR-X Feeder with Pentair Everpure SS-XL ScaleStick<sup>§</sup> cartridge inhibits scale buildup in ice machines and coffee brewers
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means

#### SIZING

- Service Flow Rate: Maximum 10.0 gpm (37.8 Lpm)
- Rated Capacity: 100,000 gallons (378,541 L)
- \*Validated by ISO 17025 accredited lab for 99.999% reduction of Pseudomonas diminuta following the ASTM F838-05 protocol for the validation of 0.2 μm sterilizing grade filters.

# HIGH FLOW CSR QUAD-7FC SYSTEM FV9329-74

High Flow CSR Quad 7FC System: EV9329-74 7FC Replacement Cartridge: EV9692-61 (1 PK) EC210 Replacement Cartridge: EV9534-26 (6 PK) SS-XL ScaleStick Cartridge: EV9799-42 (6 PK)



#### SPECIFICATIONS

- Service Flow Rate Maximum 10.0 gpm (37.8 Lpm)
- Rated Capacity 100,000 gallons (378,541 L)
- Pressure Requirements 10 - 125 psi (0.7 - 8.6 bar), non-shock
- Maximum Temperature  $35 - 100^{\circ} F (2 - 38^{\circ} C)$
- Overall Dimensions 25.59" H x 34" W x 6.75" D (65 cm x 86.36 cm x 17.14 cm)
- Inlet Connection 3/4"
- Outlet Connection 3/4"

- Electrical Connection None required
- Shipping Weight 48 lbs (21.77 kgs)
- Operating Weight 60 lbs (27.22 kgs)



ALY.	System Tested and Certified by NSF International against NSF/ANSI Standards 42 and 53 for the reduction of:	
	STANDARD NO. 42 – AESTHETIC EFFECTS	STANDARD NO. 53 - HEALTH EFFECTS
	Chemical Reduction Taste & Odor Chlorine	Mechanical Filtration Cyst
	Mechanical Filtration Nominal Particulate Class I	Turbidity

EPA Est. No. 002623-IL-002

#### WARRANTY

Everpure water treatment systems by Pentair (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Pentair will provide a copy of the warranty upon request.

The contaminants or other substances removed or reduced by this drinking water system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used with disinfected water that may contain filterable cysts.

Since the conditions under which our products may be used are beyond our control, we cannot accept any liability with respect to the improper installation, application and/or use of our products.

> India Boulevard, B-9/A, 7th Floor - Tower B Sector 62 Noida - 201301 91.120.419.9444 Tel indiacustomer@pentair.com

### PENTAIR

World Headquarters 1040 Muirfield Drive Hanover Park, IL 60133 **United States** 800.942.1153 (US Only) 630.307.3000 Main cseverpure@pentair.com

Europe Pentair Water Belgium BVBA Industriepark Wolfstee, Toekomstlaan 30, **B-2200 Herentals** Belgium +32.(0).14.283.504 Tel sales@everpure-europe.com

Australia 1-21 Monash Drive Dandenong South, Vic 3175 Australia 011.1300 576 190 Tel au.everpure@pentair.com

Japan Inc. Hashimoto MN Bldg. 7F, 3-25-1 Hashimoto, Midori-ku, Sagamihara-shi Kanagawa 252-0143 Japan 81.(0)42.775.3011 Tel info@everpure.co.jp

China 21F Cloud 9 Plaza, NO 1118 Shanghai, 200052 China 86.21.3211.4588 Tel china.water@pentair.com

Southeast Asia 390 Havelock Road, #04-01 King's Centre Singapore 169662 65.6768.5800 Tel cseverpure@pentair.com

§ Pentair trademarks and logos are owned by Pentair plc or its affiliates. For a detailed list of where Pentair trademarks are registered, please visit www.pentair.com/en/registrations.html. Third party registered and unregistered trademarks and logos are the property of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.

EV9329-74 SE19 ©2019 Pentair Filtration Solutions, LLC. All Rights Reserved.