DRAINER WITH GLASS RINSER

For Brew Pipe Tower



JOB	
AREA	
ITEM NO.	
MODEL NO.	

MODELS						
WIODELS						
C18750-21-GRC	C18750-39-GRC					
C18750-27-GRC	C18750-51-GRC					
C18750-33-GRC	C18750-63-GRC					

KEY PRODUCT FEATURES AND BENEFITS

- Keep your bar clean and dry with Perlick drainers
- The integrated glass washer allows you to pour to perfect beer
- · Stainless steel top-mounted drip pans designed to fit with Brew Pipe Towers, but coordinate with a variety of other towers
- Liquid automatically flows out of the drainer ensuring a clean and hygienic bar space
- Removable glass rack makes it quick and easy to clean

Quick Features:

- Stainless steel construction for durability
- 4-3/8" Diameter Heavy Gauge Stainless Steel Glass Rack, NSF Listed Stainless Steel Rinser
- 1/2" I.D. Brass Drain Tube with 1/2" NPSM Thread and Machined End to accept 1/2" I.D. flexible drain tub

DRAINER WITH GLASS RINSER

For Brew Pipe Tower

MODEL NOS.	Overall Length 'A' (mm)	Overall Width 'B' (mm)	Drip Pan Length 'C' (mm)	Drip Pan Width 'D' (mm)	Number of Drain Tubes	Drain Tube, from center 'E' (mm)	Number of Glass Racks	Glass Rack Length	Mounting Hole (mm)
GLASS RINSER ON CENTER									
C18750-21-GRC	21" [533]	15.5" [394]	19.75" [502]	6.5" [165]	1	0	1	14.25" [362]	.875" diameter [23]
C18750-27-GRC	27" [686]	15.5" [394]	25.75" [654]	6.5" [165]	1	0	1	14.25"[362]	.875" diameter [23]
C18750-33-GRC	33" [838]	15.5" [394]	15.85" [403]	6.5" [165]	1	0	2	14.25" [362]	.875" diameter [23]
C18750-39-GRC	39" [991]	15.5" [394]	18.85" [479]	6.5" [165]	1	12" [305]	2	14.25" [362]	.875" diameter [23]
C18750-51-GRC	51" [1295]	15.5" [394]	16.55" [420]	6.5" [165]	1	12" [305]	3	14.25"[362]	.875" diameter [23]
C18750-63-GRC	63 [1600]	15.5" [394]	20.55" [522]	6.5" [165]	1	12"[305]	3	14.25" [362]	.875" diameter [23]

Material, Drip Pan and Glass Rack	Stainless Steel	
Material, Glass Rinser	4-3/8" Diameter Heavy Gauge Stainless Steel Glass Rack, NSF Listed Stainless Steel Rinser	
Plumbing, Drip Pan	Plumbing, Drip Pan 1/2" I.D. Brass Drain Tube with 1/2" NPSM Thread and Machined End to accept 1/2" I.D. flexible drain tube.	
Plumbing, Glass Rinser	1/2" NPSM Thread with included John Guest Connector for 3/8" I.D. flexible water line.	
Rinser Installation Notes	Check local plumbing codes. Install in-line water regulator set to 15 - 20 psi (not included). Install in-line shut-off valve (not included) and turn off nightly.	

DRAINER WITH GLASS RINSER

For Brew Pipe Tower



