

StayFlat® Sheet Pans



StayFlat® Sheet Pans have sidewalls that are continuously reinforced with an engineered rib that increases its sidewall strength up to 30%. This feature coupled with a concave bottom and residual tensile stress results in a pan that resists bowing and stays flat longer!

Reinforced Sides Prevent Flaring

StayFlat Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification reference for situations where stronger, flatter sheet pans are required, such as for transport or for baking pies and cakes.

Increased Tensile Strength

A proprietary manufacturing method imparts a residual tensile stress in the StayFlat pan bottom, which further increases the strength of the pan and resists damage from denting or bowing.

Concave Bottom Resists Bowing

The method used to increase tensile strength of the StayFlat pan bottom also creates a slightly concave bottom that flattens during heating for even heat distribution and increased resistance to bowing.







Continuously reinforced sidewalls



StayFlat® Sheet Pan with AMERICOAT® ePlus coating

Continued on reverse.

BUNDY BAKING SOLUTIONS:


-  Baking Pans
-  Pan Coatings
-  Release Agents & Applicators
-  Refurbishment Services

AMERICOAT® ePlus

AMERICOAT® ePlus silicone release coating is the industry's leading silicone coating technology used on all Chicago Metallic glazed pans. AMERICOAT ePlus features longer-lasting performance and reduces the need for oil usage up to 50%.

Pan Glo® Recoating Services

Your pans can be cleaned, recoated, and returned to your operation with like-new release characteristics. For more information, call 800.652.2151 or visit our website at panglo.com.

 Made in USA with Global Materials



StayFlat® Sheet Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Overall Size (in)
Full-Size				
30694	★	Plain	16 gauge, band in rim	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1
40694	★	Plain	16 gauge, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40698	★	Glazed	16 gauge, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40804	★	Plain	18 gauge, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40808	★	Glazed	18 gauge, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44693	★	Plain	16 gauge hardcoat anodized aluminum, aluminum wire in rim, BĀKALON	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, aluminum wire in rim, BĀKALON	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
Half-Size				
30850	★	Plain	18 gauge, band in rim	12 ¹³ / ₁₆ x 17 ¹³ / ₁₆ x 1

★ In Stock in USA | ★ In Stock in Canada | ★ In Stock in USA & Canada | StayFlat® U.S. Patent No. 9,737,171

Find your local Chicago Metallic sales representative at cmbakeware.com/local-rep for more information or to place an order.

