VEGETABLE PREPARATION MACHINE

CL 52 NO DISC



The CL52 Vegetable Preparation Machine is ideal for slicing, ripple cutting, grating, dicing, shredding and making french fries from all types of fruit and vegetables, as well as grating cheese.

TECHNICAL FEATURES

The CL52 Vegetable Preparation Machine – Single-phase. Power - 2 HP. Speed 425 rpm. Magnetic safety system, motor brake and lever-activated auto restart. This metal Vegetable Preparation Machine has a lateral ejection facility and is equipped with Two hoppers in one head - one large full moon hopper for cutting large products and 1 cylindrical hopper: Ø $2^{1/4}$ " and/or Ø 1.5". Stainless steel motor base, chute and continuous feed lead. Suitable for 70 to 600 covers per service. Large choice of 52 discs available.

Select your options at the back page F part.

C TECH	INICAL DATA
Output power	2 HP
Electrical data	Single-phase - 9.4 Amp plug included
Speed	425 rpm
Dimensions (H×L×W)	27 3/16" x 13 3/8" x 14 3/16"
Rate of recyclability	95%
Net weight	59 lbs
Nema #	5-15P
Reference	CL 52 E 120V/60/1

D Number of meals per service	70 to 600
Theoretical output per hour*	1655 lbs

PRODUCT FEATURES / BENEFITS

MOTOR BASE

E

- Industrial induction motor for intensive use.
- Power 2 HP
- Stainless steel motor base and shaft.
- Magnetic safety system with motor brake.
- Speed 425 rpm

VEGETABLE PREPARATION FUNCTION

- Vegetable Preparation Machine equipped with 2 hoppers:
 1 large full moon hopper for cutting large products (will accommodate whole heads of cabbage and lettuce)
- 1 cylindrical hopper for long, delicate vegetables. The Exactitube pusher can be used to reduce the diameter of the hopper for cutting up small ingredients.
- Removable continuous feed lead.
- Reversible discharge plate for processing delicate produce.
- Lateral ejection facility for space-saving and greater user comfort, and accommodates 7 7/8 inch high gastronorm pans
- Lever-activated auto restart (by the pusher)
- Lever-assisted facility requires less effort from the operator and increases output.
- Vertical pusher pressure exerted on vegetables to ensure uniform cuts.
- Large choice of 52 discs available.
- Stainless steel blades on slicing discs, blades on Julienne discs and grating discs are removable.
- 3 positions for optimum operator comfort. Lever-activated auto restart

MASHED POTATO FUNCTION

• option : Mashed Potato Kit

STANDARDS ETL electrical and sanitation Listed/ cETL (Canada)



* Results may differ depending on the type of the hopper used, the choice of the cut and the setup of the workstation.

Specification sheet

B

www.robot-coupe.com

Update : April 2021

Robot Coupe USA, Inc. 264 South Perkins - Ridgeland, MS 39157 PH: 601-898-8411 - Toll free: 800-824-1646 - Fax: 601-898-9134 info@robotcoupeusa.com

robot Ø coupe°

VEGETABLE PREPARATION MACHINE

robot Ø coupe°

CL 52 NO DISC

F

OPTIONAL ACCESSORIES

• 3 mm (1/8") Mashed Potato Kit - 28208



- Wall 8-disc holder ref 107812
 Dice Cleaning Kit: cleaning tool for dicing grids 5 mm (3/16"), 8 mm (5/16") and 10 mm (3/8")

SUGGESTED PACKS OF DISCS

3 disc package	5mm (3/16") coarse grating, 6mm (1/4"x 1/4") julienne and 5mm (3/16") slicing discs.
5 disc package	5mm (3/16") coarse grating; 6mm (1/4"x1/4") julienne; 5mm (3/16"), 10mm (3/8") slicing discs; 10x10mm (3/8" x 3/8") dicing grid
16 disc package	Slicers - 0.8mm (1/32"), 2mm (5/64") & 5mm (3/16". 2 graters - 2mm (5/64") & 5mm (3/16"); 3 dicing - 5x5x5mm (3/16"), 10x10x10mm (3/8") & 14x14x5mm (9/16"x9/16"x3/16"). 2 Julienne sticks - 2.5 x 2.5mm (1/10"x1/10") & 2 x 10mm (5/64"x3/8"). Dice Cleaning Kit and 2 disc holders.

OPTIONAL DISCS

SI	LICING	
 0.6 mm		28166
0.8 mm		28069
1 mm (1/32″)		28062
2 mm (5/64″)		28063
3 mm (1/8″)		28064
4 mm (5/32″)		28004
5 mm (3/16″)		28065
6 mm (1/4″)		28196
8 mm (5/16″)		28066
10 mm (3/8″)		28067
14 mm (9/16″)		28068
20 mm (25/32″)		28132
25 mm (1″)		28133
cooked potatoes 4 mm	ı (5/32″)	27244
cooked potatoes 6 mm	n (1/4″)	27245
RIPPL	E CUTTING	
 2 mm (5/64″)		27068
 3 mm (1/8″)		27069
5 mm (3/16″)		27070



	GRATERS
1.5 mm (1/16")	28056
2 mm (5/64″)	28057
3 mm (1/8″)	28058
4 mm (5/32″)	28136
5 mm (3/16″)	28163
7 mm (9/32″)	28164
9 mm (11/32″)	28165
Röstis potatoes	27164
Raw potatoes	27219
Fine Pulping disc	28055
Hard Cheese grate	28061




JULIENNE	
1x8 mm tagliatelle (1/32″x5/16″)	28172
1x26 onion/cabbage (1/32"x1 1/4")	28153
2×2 mm (5/64″ x 5/64″)	28051
2×4 mm (5/64″ × 5/32″)	27072
2×6 mm (5/64″ × 1/4″)	27066
2×8 mm (5/64″ × 5/16″)	27067
2x10 tagliatelle (5/64″x3/8″)	28173
2.5×2.5 mm (1/10" × 1/10")	28195
3×3 mm (1/8″ × 1/8″)	28101
4×4 mm (5/32″ × 5/32″)	28052
6×6 mm (1/4″ × 1/4″)	28053
8×8 mm (5/16" × 5/16")	28054

DICING EQUIPMENT	
5×5 mm (3/16″)	28110
8×8 mm (5/16″)	28111
10×10 mm (3/8″)	28112
12x12 mm (15/32")	28197
14x14x5 mm Mozzarella (9/16''x9/16''x3/16'')	28181
14x14x10mm (9/16''x9/16''x3/8'')	28179
14×14 mm (9/16″)	28113
20×20 mm (25/32″)	28114
25×25 mm (1″)	28115
2" Lettuce Cut	28180

FRENCH FRY EQUIPMENT	
8x8 mm (5/16" x 5/16")	28134
8x16 mm (5/16""x 5/8")	28159
10x10 mm (3/8"x 3/8")	28135
10x16 mm (3/8" x 5/8")	28158



120V/60/1 - delivered with cord and plug.



ELECTRICAL DATA