

Vegetable Slicer TrinityPro Combined Vegetable Slicer/ Cutter Mixer 2.7 quarts, copolyester -Single Speed - US plug



transparent copolyester. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1.32 quarts large transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 2 11/64" (55mm) or 1" (25mm). Ideal for grating, slicing/ wavy slice and julienne. 2 discs included: slicer 4mm and grater 2mm. A safety micro switch stops the blade when the feed hopper is opened. Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed rotor blade. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl.

No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Water tight, easy to clean, flat, soft-touch buttons. Single speed 1800 rpm with on/pulse/off function for simple operations. With US plug.

TEM #		
MODEL #		
NAME #		 
SIS #		
AIA #		

## **Main Features**

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1.32 qt capacity) and 2 small round feed chutes: 1 " (25mm) and or 2 11/64" (55mm), for precise slicing of long shaped vegetables.
- Uniform cuts and maximized load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 7 3/4" high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Model includes 2 discs: 5/64" (2mm) grater, 5/32" (4mm) slicer.
- Optional discs available of various sizes for slicing, grating and shredding.
- Includes 2.7 quart transparent copolyester bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function to coarse chopping.
- Easy to clean and watertight control panel with on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.
- ErgoCert 4-star certification for ergonomic design and ease of use.

Vegetable Slicer TrinityPro Combined Vegetable Slicer/Cutter Mixer 2.7 quarts, copolyester - Single Speed - US plug

ROFESSIONA

#### APPROVAL:



Experience the Excellence www.electroluxprofessional.com foodservice@electrolux.com



# Construction

- 1 speed: 1800 rpm.
- Motor power: 1 HP / 750 Watt.
- Transparent copolyester bowl
- Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.
- IPX5 (IP55) flat panel touch-control, watertight panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured thanks to BPA-free materials and compliance with NSF standards.
- Product safety in accordance with international and UL standards.

### **Included Accessories**

- 1 of TRANSPARENT LID FOR PNC 650117 2.7 QT CUTTER MIXER BOWL
- 1 of STAINLESS STEEL GRATING PNC 650198 DISC 5/64" (2 MM)
- 1 OF MICROTOOTHED BLADE PNC 650226 ROTOR FOR 2.7QT CUTTER MIXER
- 1 OF TRANSPARENT PNC 650229 COPOLYESTER BOWL FOR 2.7QT CUTTER MIXER
- 1 OF SCRAPER FOR 2.7QT CUTTER PNC 650230 MIXER BOWL
- 1 of EJECTOR FOR VEGETABLE PNC 650232 SLICER
- 1 of STAINLESS STEEL SLICING PNC 650237 DISC 5/32" (4 MM)

#### **Optional Accessories**

- Cleaning tool for TRS, TRK & PNC 650110 TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids
- TRANSPARENT LID FOR 2.7 QT PNC 650117 CUTTER MIXER BOWL
- TRANSPARENT LID FOR 3.8QT PNC 650118 □ CUTTER MIXER BOWL

- STAINLESS STEEL BOWL FOR 3.8QT CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER
   PNC 650145 PNC 65
- 3 DISCS SET TRK1 (5/64" SLICER, PNC 650196 □ 3/16" SLICER, 1/8" GRATER)
- 6 DISCS SET (5/64" SLICING, PNC 650197 □ 3/16" SLICING, 1/8" GRATING, 9/32" GRATING, 3/8" SLICER, 3/8" X3/8" GRID)
- STAINLESS STEEL GRATING DISC PNC 650198 5/64" (2 MM)
- STAINLESS STEEL GRATING DISC PNC 650199 □ 1/8" (3 MM)

Vegetable Slicer TrinityPro Combined Vegetable Slicer/Cutter Mixer 2.7 quarts, copolyester - Single Speed -US plug

- STAINLESS STEEL GRATING DISC PNC 650205 5/32" (4 MM)
- STAINLESS STEEL GRATING DISC PNC 650207 □
  9/32" (7 MM)

PNC 650208

- PARMESAN DISC
- STAINLESS STEEL JULIENNE DISC PNC 650209 5/64" (2 MM)
- STAINLESS STEEL JULIENNE DISC PNC 650210 □
  5/32" (4 MM)
- STAINLESS STEEL JULIENNE DISC PNC 650211 □
  5/16" (8 MM) FOR FRENCH FRIES
- STAINLESS STEEL SLICING DISC PNC 650213 □ 1/32" (1 MM)
- STAINLESS STEEL SLICING DISC PNC 650214 5/64" (2 MM)
- STAINLESS STEEL SLICING DISC 1/8 PNC 650215 " (3 MM)
- STAINLESS STEEL SLICING DISC PNC 650216 □ 3/16" (5 MM)
- STAINLESS STEEL SLICING DISC 1/4 PNC 650217 " (6 MM)
- STAINLESS STEEL WAVY SLICING PNC 650218 □ DISC 1/8" (3 MM)
- STAINLESS STEEL WAVY SLICING PNC 650219 □
  DISC 3/16" (5 MM)
- ALUMINUM SLICING DISC 5/16" (8 PNC 650220 □ MM)
- ALUMINUM SLICING 3/8" (DISC 10 PNC 650221 □ MM)
- DICING GRID 5/16"X5/16" (8x8 MM) PNC 650222
- DICING GRID 3/8"x3/8" (10X10 MM) PNC 650223
  DICING KIT 5/16" ALUMINUM PNC 650224
- DICING KIT 5/16" ALUMINUM PNC 650224 SLICER 5/16", GRID 5/16"x5/16" (8X8MM)
- DICING KIT 3/8" ALUMINUM SLICER 3/8", GRID 3/8"x3/8" (10X10 MM)
- MICROTOOTHED BLADE ROTOR PNC 650226 FOR 2.7QT CUTTER MIXER
- SMOOTH BLADE ROTOR FOR 2.7QT PNC 650227 CUTTER MIXER
- STAINLESS STEEL BOWL FOR 2.7QT PNC 650228 □ CUTTER MIXER
- TRANSPARENT COPOLYESTER PNC 650229 BOWL FOR 2.7QT CUTTER MIXER
- SCRAPER FOR 2.7QT CUTTER PNC 650230 □
  MIXER BOWL
- STAINLESS STEEL BOWL FOR 2.7QT PNC 650231 □
  CUTTER MIXER, MICROTOOTHED
  ROTOR, LID WITH SCRAPER
- EJECTOR FOR VEGETABLE SLICER PNC 650232
- MICROTOOTHED BLADE ROTOR PNC 650233 □ FOR 3.8QT CUTTER MIXER
- SMOOTH BLADE ROTOR FOR PNC 650234 □
  3.8QT CUTTER MIXER
- STAINLESS STEEL BOWL FOR 3.8QT PNC 650235 □ CUTTER MIXER






- SCRAPER FOR 3.8QT CUTTER PNC 650236 D BOWL
- STAINLESS STEEL SLICING DISC PNC 650237 □
  5/32" (4 MM)
- Storage Case for one MultiGreen/MightyGreen/TRS/ TRK disc
   PNC 653050 II





#### Vegetable Slicer TrinityPro Combined Vegetable Slicer/Cutter Mixer 2.7 quarts, copolyester - Single Speed -US plug



### Electric

Electrical power, max: 602156 (COM26PUS) Total Watts:

0.8 kW 0.8 kW

