# **Data Sheet**

## **CSP Self-Service**



The mobile and compact CSP Self-Service can be flexibly placed on the self-service bakery shelf. Your customers can slice their bread as desired by choosing from three preset slice thicknesses. Intuitive, guided operation via touch screen for self-explanatory use.



More information High performance with a wide range of solutions and options.

### **Product description**

Place the compact, space saving model CSP Self-Service exactly where you need it. The powerful, durable system delivers top results even for demanding products to be cut. The CSP for the self-service area is designed to save space: The floor model measures only 1 m in height and 80 cm in width. This device is optimally suitable for a wide variety of baked goods having a length of up to 38 cm - long or round bread, hard or soft texture, with or without nuts: The CSP circular blade slicer cuts precise and visually appealing slices. The self-explanatory, intuitive touch screen operation guides your customers through the slicing process. You may configure three slice thickness options for your customers to select from. The innovative SmarterSlicing functions allow an hygienic environment around the bread slicer at any time. An early warning system by means of indicators notifies you when the CSP is due for cleaning and when the blade requires sharpening or maintenance. Smart technology which ensures hygiene and availability of your machine. What's particularly convenient: Very smoothly running slicing process. Even at maximum performance, the planetary gear operates smoothly and is virtually maintenance-free. Convenient cleaning: Simply roll out the CSP to clean it all around.



#### **Highlights**

- Easy operation:
  - Intuitive operator prompting at the touch screen
  - Selection of three preset slice thicknesses
- Gentle slicing for best product quality:
  - The narrow product holder securely holds the product automatically producing only minimal waste
  - Controlled slicing: The blade speed is controlled separately. This allows gentle blade start-up and cutting of large round loafs of bread without hold-down device
  - Tilted bread chute for perfect stability
- Ergonomic bagging aid:
  - Right above the bread chute to prevent any crumbs or slices of bread from falling to the floor
  - Easy bagging
- Easy cleaning:
  - Safe upward position for blade cleaning in the bread chute
  - Hygienic design without dirt trapping corners
  - Electronics and drive components protected from crumb area to prevent bread crumbs from getting in contact with them

### My Bizerba

We offer you solutions from a single source which can be customized and allow you to respond to any change in a flexible manner. Benefit from costs which can be planned and efficient processes. We are happy to advise you.

## Bizerba SE & Co. KG

Wilhelm-Kraut-Straße 65 72336 Balingen

T +49 7433 12-0 fax: +49 7433 12-2696 marketing@bizerba.com

www.bizerba.com

HD\_CSP Self-Service\_V1\_EN Page 2 / 2

# **Fact Sheet**



CSP Self-Service; CSP Assisted Sales

Whether behind the sales counter or at the self-service bakery shelf: Place the mobile, space saving and ergonomic CSP variants where they fit best. These bread slicers cut up to 200 slices/minute always in top quality, regardless of texture or shape of the baked goods. They provide comfortable and safe slicing. Intuitive, self-explanatory touch screen operation makes it particularly easy for you or your customers.



More information High performance with a wide range of solutions and options.

Specifications	Facts	Details
Dimensions		
Outer dimensions L x W x H	754 x 800 x 999 mm	
Installation area L1 x W1	635 x 725 mm	
Work area L2 x W2 x H2	1,180 x 806 x 1,019 mm	
Electrical data		
Power consumption	230 V, 50 Hz	
	120 V, 60 Hz	
Performance data		
Max. product size W x H x L	142 x 320 x 390 mm	
	142 x 320 x 380 mm	Option self-service mode
Blade diameter	420	
Blade speed		
Blade alignment		
Slice thickness	4-24 mm	
Slicing performance	200 slices/min.	
Carriage angle		
Housing material	Construction steel powder coated	
Weight		
Machine weight	185 kg	
Packaging data		
Dimensions L x W x H	1,200 x 800 x 1,260 mm	
Packaging weight	45 kg	


# Info graphics




## Symbols



## **Dimensional drawings**







## Bizerba SE & Co. KG

Wilhelm-Kraut-Straße 65 72336 Balingen

T +49 7433 12-0 fax: +49 7433 12-2696 marketing@bizerba.com

www.bizerba.com