


1 Section Models

G Series Accessory Kit Location Guide:

Each kit includes all necessary mounting hardware except where noted. All G-Series accessory kits are pre-packaged for easy installation at the job site.



DESCRIPTION	MODEL	HEATED CABINET	REFRIG. / FREEZER
EZ-CHANGE KITS			
(4) pairs #1 trayslides with pilasters per ½, section (top or bottom)	G13ACC-1EZ	Available	Available
(3) pairs universal with pilasters per ½ section (top or bottom)	G13ACC-UEZ	Available	Available
(3) pairs heavy duty universal with pilasters per $\frac{1}{2}$ section (top or bottom)	G13ACC-HDUEZ	Available	Available
TRAYSLIDES			
(8) pairs #1 trayslides includes pilasters per full section	G1ACC-TK1	Available	Available
(2) pairs #4 trayslides includes pilasters per full section	G1ACC-TK2	Available	Available
(7) pairs universal trayslides includes pilasters per full section	G1ACC-TK4	Available	Available
SHELVES			
(3) epoxy coated shelves on pins	G1ACC-SHLF1	Not Available	Available
(3) epoxy coated shelves on pilasters	G1ACC-SHLF2	Not Available	Available
(1) epoxy coated shelf with pins & clips	G1ACC-SHLF5	Not Available	Available
(5) bottle shelves with mounting hardware (glass door models only)	G1ACC-BTL5	Not Available	Available
(1) bottle shelf with clips without mounting hardware (glass door models only)	G12ACC-BTL1	Not Available	Available
OPTIONS			AVAILABILITY
Export Crating			Available

OTHER ACCESSORY KITS - FOR ALL G-SERIES REFRIGERATOR, FREEZER & HEATED MODELS

DESCRIPTION	MODEL	AVAILABILITY
Set of (4) 6" high stainless steel legs	LK2	Available
Set of (4) 6" high casters	CK1	Available
Set of (4) 4-1/8" high casters	СКЗ	Available
Set of (4) 2-3/4" high casters	CK14	Available
Set of (4) 6" stainless steel flanged legs	LK3	Available
(1) pair #1 type trayslides (Must order pilasters. Consult factory for other trayslide and pilaster kit options.)	GSACC-#1TS	Available
(1) pair #4 type trayslides (Must order pilasters. Consult factory for other trayslide and pilaster kit options.)	GSACC-#4TS	Available
(1) pair universal type trayslides (Must order pilasters. Consult factory for other trayslide and pilaster kit options.)*	GSACC-UVTS	Available
(1) pair EZ-Change #1 type trayslides (Must order pilasters. Consult factory for other trayslide and pilaster kit options.)*	GSACC-1EZ	Available
(1) pair EZ-Change universal type trayslides (Must order pilasters. Consult factory for other tray slide and pilaster kit options.)*	GSACC-UEZ	Available
(1) pair EZ-Change heavy duty universal type trayslides (Must order pilasters. Consult factory for other trayslide and pilaster kit options.)*	GSACC-HDUEZ	Available
(1) set pilasters and clips for shelves (Not applicable for trayslides)	GSACC-PLSTS	Available

^{*}Not for 2 section heated cabinet models



2 Section Models

G Series Accessory Kit Location Guide:

Each kit includes all necessary mounting hardware except where noted. All G Series accessory kits are pre-packaged for easy installation at the job site.




DESCRIPTION	MODEL	HEATED CABINET	REFRIG. / FREEZER
EZ-CHANGE KITS			
LEFT AND RIGHT SECTION:			
(4) pairs #1 trayslides with pilasters per ½ section (top and bottom)	G23ACC-1EZ	Not Available	Available
(3) pairs universal with pilasters per ½ section (top and bottom)	G23ACC-UEZ	Not Available	Available
(3) pairs heavy duty universal with pilasters per ½ section (top and bottom)	G23ACC-HDUEZ	Not Available	Available
TRAYSLIDES			
LEFT AND RIGHT SECTION:			
(8) pairs #1 trayslides (with pilasters) per full section	G23ACC-TK1LR	Not Available	Available
(2) pairs #4 trayslides (with pilasters) per full section	G23ACC-TK2LR	Not Available	Available
(7) pairs universal trayslides (with pilasters) per full section	G23ACC-TK4LR	Available	Available
SHELVES			
LEFT SECTION:			
(3) epoxy coated shelves on pins	G23ACC-SHLF1	Not Available	Available
(3) epoxy coated shelves on pilasters	G23ACC-SHLF2	Not Available	Available
(3) clear coated shelves with pins	G23ACC-SHLF3	Not Available	Available
(3) clear coated shelves with pilasters	G23ACC-SHLF4	Available	Available
(1) epoxy coated shelf with pins & clips	G23ACC-SHLF9	Not Available	Available
(1) clear coated shelf with pins & clips	G23ACC-SHLF10	Available	Available
RIGHT SECTION:			
(3) epoxy coated shelves on pins	G23ACC-SHLF5	Not Available	Available
(3) epoxy coated shelves on pilasters	G23ACC-SHLF6	Not Available	Available
(3) clear coated shelves with pins	G23ACC-SHLF7	Not Available	Available
(3) clear coated shelves with pilasters	G23ACC-SHLF8	Available	Available
(1) epoxy coated shelf with pins & clips	G23ACC-SHLF11	Not Available	Available
(1) clear coated shelf with pins & clips	G23ACC-SHLF12	Available	Available
LEFT OR RIGHT SECTION:			
(1) plated shelf with pins & clips (hot food cabinets only)	G23ACC-SHLF13	Available	Not Available
(1) bottle shelf with mounting hardware (glass door models only)	G2ACC-BTL1	Not Available	Consult Factory
(5) bottle shelves with mounting hardware (glass door models only. Fits 1 section of a 2 section unit. Requires 2 kits to outfit both sections.)	G2ACC-BTL5	Not Available	Available
OPTIONS			AVAILABILITY
Export Crating		·	Available
· · · · ·			



3 Section Models

G Series Accessory Kit Location Guide:

Each kit includes all necessary mounting hardware except where noted. All G-Series accessory kits are pre-packaged for easy installation at the job site.





Trayslide & Shelf Versatility Chart

TRAYSLIDES

TRAYSLIDES	EZ-CHANGE TRAYSLIDES



#1 Trayslides Standard

#1 Trayslides EZ-Change





#4 Trayslides Standard

Universal Trayslides EZ-Change





Universal Trayslides Standard

Heavy-Duty Universal Trayslides EZ-Change

NOTES:

- 1. For all after market parts call Traulsen parts department 800-825-8220.
- The above quantities represent the maximum amount of tray slides recommended by Traulsen to achieve best air circulation and refrigeration performance.
- 3. Optional trayslides are not available for Compact Undercounter, and Prep Tables models
- 4. EZ-Change Interior Universal Trayslides max weight 75 lbs. EZ-Change Heavy Duty Universal Trayslides max weight 125 lbs.
- 5. #1, #4, universal and HD universal EZ change trayslides are not available for 2 section G Series heated cabinets.*
- 6. All G-Series accessory kit's are pre-packaged for easy installation at the job site.

SPACING			
TED)*			
2"	3"	4"	5"
28	19	14	11
13	9	7	5
13	9	7	5
2	."	4	, "
2	6	1	.3
1	.2	-	6
12 6		6	
	2" 28 13 13 2 2 1	2" 3" 28 19 13 9 13 9 2" 26 12	TED)* 2" 3" 4" 28 19 14 13 9 7 13 9 7 2" 4 26 11 12 0

#4 TRAYSLIDES - STANDARD (NOT AVAILABLE FOR 2 SECTION G HEATED)*

Plated steel rod type for rim support of: (1) 18" x 26" Pan (One pair of #4 trayslides accommodates one half section)	1-1/2"
Behind full height door – all models	38
Behind upper half height door – all models	18
Behind lower half height door – all models	18

UNIVERSAL TRAYSLIDES - STANDARD

16 ga. stainless steel angle type for bottom support of: (1) 18" x 26" Pan or (2) 14" x 18" Pans or (2) 12" x 20" Pans. For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door)	4"	5"	6"
Behind full height door – all models	14	11	9
Behind upper half height door – all models	6	5	4
Behind lower half height door – all models	7	5	4

Universal Trayslides – EZ-Change Interior (Not available for 2 Section G Heated)*. For heated cabinets reduce available number of trayslides by 1 (full door and the upper section of a half-door)	2-1/4"	4-1/2"
Behind full height door – all models	22	11
Behind upper half height door	11	5
Behind lower half height door	11	5

Behind lower half height door	11	5
Heavy-Duty Universal Trayslides – EZ-Change Interior (Not available for 2 Section G Heated)*. For heated cabinets reduce available number of tray slides by 1 (full door and the upper section of a half-door)	4-1/2"	9"
Behind full height door – all models	10	5
Behind upper half height door	5	2
Behind lower half height door	5	2

SHELVES (SOME SHELVES ARE NOT AVAILABLE FOR G HEATED)

CAPACITY	STD.	MAX.
Behind full height door mounted on standard shelf pins	3	9
Behind half height door mounted on standard shelf pins	3	8
Behind full height door mounted on optional pilasters	3	13 (4" spacing)
Behind half height door mounted on optional pilasters	3	12 (4" spacing)