

HWS-4-C Hand-Wrap Station



HTsP/HTiP Hand-Wrap System with Color Touch Screen



Access Scale Hand-Wrap System with Color Touch Screen

SPECIFIER STATEMENT

The Hobart hand wrapping system is designed for the operator to manually weight and wrap a package and then place the wrapper package on the heated sealing pad. A separate, remote printer (HTsP, HTiP, HTxP, EPCP-5i, EPCP-6x, EPP-3) will compute the price and print the label for the operator to manually apply to the package.

Project_ AIA #

Item #

_____ Quantity _____ C.S.I. Section 114000



HWS-4-C Hand-wrap station

SIS #

STANDARD FEATURES

- + Flexible set-up
- + Easy to load film
- + 20" film capacity
- + Fingertip film selection
- + Low temperature film cut-off system
- + Angled sealing hot plate covered with non-stick removable cover
- + Stainless steel element
- + Heavy-duty 300 series stainless steel stand assembly
- + 2 stainless steel side shelves
- + Open scale area
- + Operates in all ambient temperatures
- + 12 hour timer for hot plate and cut-off rod to save electric
- + Convenient outlet provided for scale/printer power

ACCESSORIES (Available at extra cost)

- □ HWS-WRAPAD Hand-wrap station aid
- ACCESS-HWSKIT HWS post assembly plate for printer, USB cable and power cable for control panel
- QUANTMP-HWSPST HWS single printer post, bracket and scale support

Approved by____

Printed in U.S.A.

Date

Approved by

Date___





SPECIFICATIONS

Construction: Heavy-duty stainless steel frame. $36\frac{1}{1}$ H x 27"W x 27"D. Shelf $12\frac{5}{8}$ "W x 28"D.


Hot Plate: 15" W x 6"D.

Film Holders: Two roll film selector. Capacity 10" diameter x 20" maximum.

Electrical: 120 Volts, 60 Hertz, single phase, 8.5 Amps.

Shipping Weight: HWS – approximately 90 lbs.; POST-LGSP – 4 lbs.; HWS-WRAPAD – 8 lbs.

NOTE: SCALE, PRINTER AND POST MUST BE ORDERED SEPARATELY.




DETAILS AND DIMENSIONS





REMOTE SCALE OPTION SPECIFICATIONS

MODEL	CONSOLE	PRINTER	WEIGHER	CAPACITY
Access Hand-wrap System	EPCP-5i or EPCP-6x	EPP-3	EPSA-1	50 x 0.01 lb
Access Hand-wrap System	EPCP-5i or EPCP-6x	EPP-3	EPSA-2	30 x 0.01 lb
HT Hand-wrap System	HTsP, HTiP, or HTxP		QUANTSA-15KG	12 x 0.005 lb, 30 x 0.01 lb
HT Hand-wrap System	HTsP, HTiP, or HTxP		SASCALE-2	12 x 0.005 lb, 30 x 0.01 lb

DETAILS AND DIMENSIONS







As continued product improvement is a policy of Hobart, specifications are subject to change without notice.