# LCA-2 (w/Scholle 1910 3/16")

31.3" x 24.8" x 12.2" (79.5cm x 63.0cm x 31.0cm)



- containers
  - Attractive appearance and narrow 12" (30.5 cm) width
  - FlavorGard® technology continuously monitors extract-to-water ratio and assures flavor consistency

Accommodates 1/2gal (1.9L) and most 1gal (3.8L) bag-in-box (BIB)

- Refill or rinse LED lights alert the operator for concentrate or cleaning
- Ventilated Cabinet
- Insulated product cabinet assures maximum product life

Servers and airpots sold separately

#### Agency:





#### **Specifications**

Product #: 34400.0002 Product Ratio: 25:1-45:1 Connector: Scholle 1910LX Water Access: Plumbed

Finish: Black

Dispense: Push Button

Legs: 4" Black Legs

#### **Additional Features**

Alt Disp Rate 2.5 oz/s(74ml/s) Alt Product Ratio 25:1-65:1

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	13.2	1575	Yes	NEMA 5-15P	810	60°F (15.5°C)	1	2	60
120/208	21	4331	-	N/A	1760	60°F (15.5°C)	1	-	-
120/240	24	5700	-	N/A	2344	60°F (15.5°C)	1	-	-

### Plumbina Requirements

	<u> </u>				
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	3/8" Male Flare Fitting	-		


#### **CAD Drawings**


2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 06/15/2017





Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	12.2 in.	31.3 in.	24.8 in.	-	-	-	89.460 lbs	-
Metric	31.0 cm	79.5 cm	63.0 cm	-	-	-	40.579 kgs	-



Created on:

06/15/2017

## Related Products & Accessories:LCA-2 (w/Scholle 1910 3/16")(34400.0002)





