## AXIOM®-15-3 (3 Lower Warmers)

Height: 16.8" Width: 16.3" Depth: 22.1" (42.7cm) (41.4cm) (56.1cm)



· Adjusts automatically to varying water pressure

- · Automatic warmer shut-off
- · For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- · Electronic diagnostics and built-in tank drain make service easier
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew lock- out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature precision
- · Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

#### **Specifications**

Product #: 38700.0002

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

#### **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	15	1800	Yes	NEMA 5-15P	67	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine if the machine is marked with the before mentioned ratings.

## **Plumbing Requirements**

#### **CAD** Drawings

	<u> </u>		0			
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle



Last Updated: 08/23/2023

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Additional Features


DBC


Faucet: Upper

Warmers: Three Lower

Agency:







	Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	16.8 in.	16.3 in.	22.1 in.	22.4 in.	19.9 in.	25.8 in.	36.750 lbs	6.643 ft <sup>3</sup>	
Metric	42.7 cm	41.4 cm	56.1 cm	56.8 cm	50.5 cm	65.6 cm	16.670 kgs	0.188 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 08/23/2023

 For most current specifications and other info visit bunn.com.
 08/23/2023

### Related Products & Accessories: AXIOM®-15-3 (3 Lower Warmers) (38700.0002)





CARTRIDGE, WEQ-10

(1.5)5L

Product #: 56000.0121

CARTRIDGE, WEQ-10.3

(1.67)5L

Product #: 56000.0137

# Serving & Holding Options: AXIOM®-15-3 (3 Lower Warmers)(38700.0002)

EASY POUR®,(BLK) 1/CS Product #:06100.0101	EASY POUR®,(BLK) 2/CS Product #:06100.0102	EASY POUR®,(BLK) 3/CS Product #:06100.0103	EASY POUR®,(BLK) 6/CS Product #:06100.0106	EASY POUR®,(BLK) 12/ CS Product #:06100.0112
EASY POUR®,(BLK) 24/	EASY POUR®,(ORN) 1/	EASY POUR®,(ORN) 2/	EASY POUR®,(ORN) 3/	EASY POUR®,(ORN) 24/
CS	CS	CS	CS	CS
Product #:06100.0124	Product #:06101.0101	Product #:06101.0102	Product #:06101.0103	Product #:06101.0124
DECANTER,GLASS-BLK	DECANTER,GLASS-BLK	DECANTER,GLASS-BLK	DECANTER,GLASS-ORN	DECANTER, GLASS-
12C 24/CS	12CUP 1PK	12C 3/CS	12C 24/CS	ORN 12 CUP 1PK
Product #:42400.0024	Product #:42400.0101	Product #:42400.0103	Product #:42401.0024	Product #:42401.0101



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 08/23/2023