

InfiniSteam Eight-Drawer Steamer | IS-8000



INDIVIDUAL PORTIONS STEAMED TO PERFECTION

The InfiniSteam Eight-Drawer Steamer combines high-performance boiler technology with cutting-edge control and sensing design for precision, on demand steaming.

The InfiniSteam's always-ready operation provides operators continuous steaming without recovery delays and accelerates cook times. With 8 independent steaming compartments, the InfiniSteam brings speed and efficiency to any kitchen configuration. A smart touch-operated graphic interface allows operators to easily steam, check status, and automate cleaning cycles.



Versatile Menu

Perfect for proteins, seafood, vegetables and more!



Independent Settings

Programs each independent drawer's contents, status, temperature and holding time.



Maintenance Package


Includes a water softener and brine tank to maintain boiler cleanliness and steamer uptime



“Productivity gains are so good!”

“Exceptionally thrilled with the machine.”

-National Convenience Store with 100+ locations



Next-generation boiler technology.
Next-level steaming performance.

IS-8000 InfiniSteam Eight-Drawer Steamer

InfiniSteam Eight-Drawer Steamer | IS-8000



Features:

- High-performance boiler technology ensures steamer is always needed prepared for steaming without delay
- Continuous steaming- recovery time
- Shorter cook times provide higher throughput.
- Rethermalize up to 2 lbs of protein under 14 minutes
- Customizable times and temperatures for all 8 independently controlled steaming zones with removable drawers and pans.
- Capacity of eight, 1/3 size hotel pans
- Optional Wi-Fi module for IoT (Internet of Things) connected kitchens
- Packaged with water softener to keep to keep boiler clean and ensure longer life for the equipment

InfiniSteam IS-8000

Electrical Ratings

Dimensions

Model & Mfg. No.	Capacity	Approvals	Plug	Volts	Watts	Amps	Hz.	Width	Depth	Height
IS-8000 9100952	8 1/3 size hotel pans 2 inch (50mm)		NEMA 6-50P	208	8000	39	50/60	26 13/32" (671 mm)	33" (838 mm)	26 11/16" (678 mm)

WSS-0618 Water Softener

Model & Part No.	Max Flow Rate	Plug	Volts	Watts	Amps	Hz	Width Resin Tank	Depth Resin Tank	Height Resin Tank	Width Brine Tank	Depth Brine Tank	Height Brine Tank
WSS-0618 9710145	2.9 gpm (11 lpm)	1-15 P (two pin)	120	15	0.33	50/60	6" (15 cm)	6" (15 cm)	27" (69 mm)	10" (25 mm)	10" (25 mm)	16" (41mm)

Additional InfiniSteam Configurations

Model & Mfg. No.	Capacity	Approvals	Plug	Volts	Watts	Amps	Hz.	Width	Depth	Height
IS-1000 9010935	2 1/2 size hotel pans		NEMA L6-50P	208	8400	39A	50/60	29 3/4" (756 mm)	25 15/16" (654 mm)	15 1/4" (387 mm)
IS-4000	4 1/2 size hotel pans		NEMA L6-50P	208	8400	39A	50/60	26 13/32" (671 mm)	33" (838 mm)	26 11/16" (678 mm)
IS-7000	7 1/3 size hotel pans 2 inch (50mm)		NEMA 6-50P	208	8000	39A	50/60	26 13/32" (671 mm)	33" (838 mm)	26 11/16" (678 mm)



IS-1000
2-DRAWER STEAMER



IS-4000
4-DRAWER STEAMER



IS-7000
7-DRAWER STEAMER