

Project _____
 Item _____
 Quantity _____
 CSI Section 11400
 Approved _____
 Date _____

CV10E

Blast Chiller/Shock Freezer

CV10E - Blast Chiller/Shock Freezer



Blast chiller



Ice cream



Conservation cycle



Thawing



Hot gas defrosting



Chilling programs



Data storage



Standard Features

- 4 different cycles for blast chilling and 4 for shock freezing
- Hot gas defrost
- Capacitive Touch control
- Functions available: Blast chiller, Shock freezing, Shock freezing continuous, thawing, ice cream cycle, cycle programs storable, HACCP report alarms
- Stainless steel construction
- Upload and Download data with USB

Options & Accessories

- Sanitizing ozone cycle
- Castor kit
- Adapter mount for oven

Capacity



77 lbs
 +194 °F -> +37.4 °F
35 kg
 +90 °C -> +3 °C



55 lbs
 +194 °F -> +37.4 °F
25 kg
 +90 °C -> +18 °C


10

12"x20" Pans




Code number	Value
Power Supply	208-240V/3/60Hz
Outside length	33.07" / 840 mm
Depth (with handle)	30.71"(32.72") / 780 (831) mm
Height (with legs)	58.98"(60.94") / 1498 (1548)mm
Capacity	10
Compressor / HP	2.5HP
Output chilling (+90 °C/+3 °C) (+194 °F -> +37.4 °F)	35kg / 77lbs
Output freezing (+90 °C/-18 °C)(+194 °F -> +37.4 °F)	25kg / 55lbs
Minimum circuit ampacity MCA/ Maximum overcurrent protector MOP	10.6 A / 15 A
Refrigeration power (-10 °C/+45 °C)	6534 W
Refrigerant gas type	R404A (GWP 3922)/77.6 oz
Noise level	68 dBA
Net/Gross weight	388/419 lbs
Shipment data (WxDxH)	34.65"x34.45"x65.16" / 419lbs

Dimensions



Controller layout



Welbilt reserves the right to make changes to the design or specifications without prior notice.