



Q-LEVER® Heavy Duty Cantilever Shelving Systems

www.eaglegrp.com

EAGLE®
GROUP
Profit from the Eagle Advantage®

Q-LEVER

CLEVER STORAGE SOLUTIONS

Cantilever Shelving by Eagle Group



up to
2,800-lb.
CAPACITY

**PATENT
PENDING**

Q-LEVER® Shelving
has a load bearing capacity of
600 lbs. per shelf and 1,000 lbs.
on the bottom dunnage shelf. Unit
safely holds up to 2,800 lbs.

ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.




5-Tier Starter Unit



Starter and Add-On Units joined

Overview...

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-on units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
 - Widths: 18", 21", 24" and 30".
 - Lengths: 24", 30", 36", 42", 48", 54", 60", 66" and 72".
 - Heights: 36", 56", 66", 76", and 86".



Q-LEVER



CLEVER STORAGE SOLUTIONS

Overview of chart dimensions...

- Add 4" to the shelf length for nominal length of starter unit.
- Add 1/2" to the shelf length for nominal length of add-on unit.
- Add 5" to the shelf width for both starter unit and add-on unit.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves. The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves
...or a mixture of same based upon your storage needs.



Contact Factory for a quotation on a Q-LEVER® System utilizing these shelving options.

No one else offers brackets that can be positioned at an angle!

Brackets can be affixed at either a level position or at a 15° angle.



Starter Units — 4-Tier with All Wire Shelves

- Contains: 2 Uprights; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Starter units come with four wire shelves and three pairs of brackets
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights



See spec sheet **EG01.58A**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	28"	76"	Q1824V76-4	Q1824VG76-4	Q2124V76-4	Q2124VG76-4	Q2424V76-4	Q2424VG76-4	-	-
30"	34"	76"	Q1830V76-4	Q1830VG76-4	Q2130V76-4	Q2130VG76-4	Q2430V76-4	Q2430VG76-4	Q3030V76-4	Q3030VG76-4
36"	40"	76"	Q1836V76-4	Q1836VG76-4	Q2136V76-4	Q2136VG76-4	Q2436V76-4	Q2436VG76-4	Q3036V76-4	Q3036VG76-4
42"	46"	76"	Q1842V76-4	Q1842VG76-4	Q2142V76-4	Q2142VG76-4	Q2442V76-4	Q2442VG76-4	Q3042V76-4	Q3042VG76-4
48"	52"	76"	Q1848V76-4	Q1848VG76-4	Q2148V76-4	Q2148VG76-4	Q2448V76-4	Q2448VG76-4	Q3048V76-4	Q3048VG76-4
54"	58"	76"	Q1854V76-4	Q1854VG76-4	Q2154V76-4	Q2154VG76-4	Q2454V76-4	Q2454VG76-4	Q3054V76-4	Q3054VG76-4
60"	64"	76"	Q1860V76-4	Q1860VG76-4	Q2160V76-4	Q2160VG76-4	Q2460V76-4	Q2460VG76-4	Q3060V76-4	Q3060VG76-4
66"	70"	76"	Q1866V76-4	Q1866VG76-4	Q2166V76-4	Q2166VG76-4	Q2466V76-4	Q2466VG76-4	Q3066V76-4	Q3066VG76-4
72"	76"	76"	Q1872V76-4	Q1872VG76-4	Q2172V76-4	Q2172VG76-4	Q2472V76-4	Q2472VG76-4	Q3072V76-4	Q3072VG76-4

* Dimensions are nominal.

Starter Units — 4-Tier with Bottom Dunnage Shelf

- Contains: 2 Uprights; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Starter units come with three wire shelves, three pairs of brackets and one dunnage shelf
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights



See spec sheet **EG01.58B**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	28"	76"	Q1824V76-4D	Q1824VG76-4D	Q2124V76-4D	Q2124VG76-4D	Q2424V76-4D	Q2424VG76-4D	-	-
30"	34"	76"	Q1830V76-4D	Q1830VG76-4D	Q2130V76-4D	Q2130VG76-4D	Q2430V76-4D	Q2430VG76-4D	Q3030V76-4D	Q3030VG76-4D
36"	40"	76"	Q1836V76-4D	Q1836VG76-4D	Q2136V76-4D	Q2136VG76-4D	Q2436V76-4D	Q2436VG76-4D	Q3036V76-4D	Q3036VG76-4D
42"	46"	76"	Q1842V76-4D	Q1842VG76-4D	Q2142V76-4D	Q2142VG76-4D	Q2442V76-4D	Q2442VG76-4D	Q3042V76-4D	Q3042VG76-4D
48"	52"	76"	Q1848V76-4D	Q1848VG76-4D	Q2148V76-4D	Q2148VG76-4D	Q2448V76-4D	Q2448VG76-4D	Q3048V76-4D	Q3048VG76-4D
54"	58"	76"	Q1854V76-4D	Q1854VG76-4D	Q2154V76-4D	Q2154VG76-4D	Q2454V76-4D	Q2454VG76-4D	Q3054V76-4D	Q3054VG76-4D
60"	64"	76"	Q1860V76-4D	Q1860VG76-4D	Q2160V76-4D	Q2160VG76-4D	Q2460V76-4D	Q2460VG76-4D	Q3060V76-4D	Q3060VG76-4D
66"	70"	76"	Q1866V76-4D	Q1866VG76-4D	Q2166V76-4D	Q2166VG76-4D	Q2466V76-4D	Q2466VG76-4D	Q3066V76-4D	Q3066VG76-4D
72"	76"	76"	Q1872V76-4D	Q1872VG76-4D	Q2172V76-4D	Q2172VG76-4D	Q2472V76-4D	Q2472VG76-4D	Q3072V76-4D	Q3072VG76-4D

* Dimensions are nominal.



Q-LEVER® 4-Tier Add-On Units

Add-On Units — 4-Tier with All Wire Shelves

- Contains: 1 Upright; 2 Braces; X-brace assembly; hardware
- For side-to-side expansion of existing upright frame
- Add-On units come with four wire shelves and three pairs of brackets
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright



See spec sheet **EG01.59A**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	25½"	76"	Q1824V76A-4	Q1824VG76A-4	Q2124V76A-4	Q2124VG76A-4	Q2424V76A-4	Q2424VG76A-4	-	-
30"	31½"	76"	Q1830V76A-4	Q1830VG76A-4	Q2130V76A-4	Q2130VG76A-4	Q2430V76A-4	Q2430VG76A-4	Q3030V76A-4	Q3030VG76A-4
36"	37½"	76"	Q1836V76A-4	Q1836VG76A-4	Q2136V76A-4	Q2136VG76A-4	Q2436V76A-4	Q2436VG76A-4	Q3036V76A-4	Q3036VG76A-4
42"	43½"	76"	Q1842V76A-4	Q1842VG76A-4	Q2142V76A-4	Q2142VG76A-4	Q2442V76A-4	Q2442VG76A-4	Q3042V76A-4	Q3042VG76A-4
48"	49½"	76"	Q1848V76A-4	Q1848VG76A-4	Q2148V76A-4	Q2148VG76A-4	Q2448V76A-4	Q2448VG76A-4	Q3048V76A-4	Q3048VG76A-4
54"	55½"	76"	Q1854V76A-4	Q1854VG76A-4	Q2154V76A-4	Q2154VG76A-4	Q2454V76A-4	Q2454VG76A-4	Q3054V76A-4	Q3054VG76A-4
60"	61½"	76"	Q1860V76A-4	Q1860VG76A-4	Q2160V76A-4	Q2160VG76A-4	Q2460V76A-4	Q2460VG76A-4	Q3060V76A-4	Q3060VG76A-4
66"	67½"	76"	Q1866V76A-4	Q1866VG76A-4	Q2166V76A-4	Q2166VG76A-4	Q2466V76A-4	Q2466VG76A-4	Q3066V76A-4	Q3066VG76A-4
72"	73½"	76"	Q1872V76A-4	Q1872VG76A-4	Q2172V76A-4	Q2172VG76A-4	Q2472V76A-4	Q2472VG76A-4	Q3072V76A-4	Q3072VG76A-4

* Dimensions are nominal.

Add-On Units — 4-Tier with Bottom Dunnage Shelf

- Contains: 1 Upright; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Add-On units come with three wire shelves, three pairs of brackets and one dunnage shelf
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright



See spec sheet **EG01.59B**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	25½"	76"	Q1824V76A-4D	Q1824VG76A-4D	Q2124V76A-4D	Q2124VG76A-4D	Q2424V76A-4D	Q2424VG76A-4D	-	-
30"	31½"	76"	Q1830V76A-4D	Q1830VG76A-4D	Q2130V76A-4D	Q2130VG76A-4D	Q2430V76A-4D	Q2430VG76A-4D	Q3030V76A-4D	Q3030VG76A-4D
36"	37½"	76"	Q1836V76A-4D	Q1836VG76A-4D	Q2136V76A-4D	Q2136VG76A-4D	Q2436V76A-4D	Q2436VG76A-4D	Q3036V76A-4D	Q3036VG76A-4D
42"	43½"	76"	Q1842V76A-4D	Q1842VG76A-4D	Q2142V76A-4D	Q2142VG76A-4D	Q2442V76A-4D	Q2442VG76A-4D	Q3042V76A-4D	Q3042VG76A-4D
48"	49½"	76"	Q1848V76A-4D	Q1848VG76A-4D	Q2148V76A-4D	Q2148VG76A-4D	Q2448V76A-4D	Q2448VG76A-4D	Q3048V76A-4D	Q3048VG76A-4D
54"	55½"	76"	Q1854V76A-4D	Q1854VG76A-4D	Q2154V76A-4D	Q2154VG76A-4D	Q2454V76A-4D	Q2454VG76A-4D	Q3054V76A-4D	Q3054VG76A-4D
60"	61½"	76"	Q1860V76A-4D	Q1860VG76A-4D	Q2160V76A-4D	Q2160VG76A-4D	Q2460V76A-4D	Q2460VG76A-4D	Q3060V76A-4D	Q3060VG76A-4D
66"	67½"	76"	Q1866V76A-4D	Q1866VG76A-4D	Q2166V76A-4D	Q2166VG76A-4D	Q2466V76A-4D	Q2466VG76A-4D	Q3066V76A-4D	Q3066VG76A-4D
72"	73½"	76"	Q1872V76A-4D	Q1872VG76A-4D	Q2172V76A-4D	Q2172VG76A-4D	Q2472V76A-4D	Q2472VG76A-4D	Q3072V76A-4D	Q3072VG76A-4D

* Dimensions are nominal.



Starter Units — 5-Tier with All Wire Shelves

- Contains: 2 Uprights; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Starter units come with five wire shelves and four pairs of brackets
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights



See spec sheet **EG01.58E**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	28"	86"	Q1824V86-5	Q1824VG86-5	Q2124V86-5	Q2124VG86-5	Q2424V86-5	Q2424VG86-5	-	-
30"	34"	86"	Q1830V86-5	Q1830VG86-5	Q2130V86-5	Q2130VG86-5	Q2430V86-5	Q2430VG86-5	Q3030V86-5	Q3030VG86-5
36"	40"	86"	Q1836V86-5	Q1836VG86-5	Q2136V86-5	Q2136VG86-5	Q2436V86-5	Q2436VG86-5	Q3036V86-5	Q3036VG86-5
42"	46"	86"	Q1842V86-5	Q1842VG86-5	Q2142V86-5	Q2142VG86-5	Q2442V86-5	Q2442VG86-5	Q3042V86-5	Q3042VG86-5
48"	52"	86"	Q1848V86-5	Q1848VG86-5	Q2148V86-5	Q2148VG86-5	Q2448V86-5	Q2448VG86-5	Q3048V86-5	Q3048VG86-5
54"	58"	86"	Q1854V86-5	Q1854VG86-5	Q2154V86-5	Q2154VG86-5	Q2454V86-5	Q2454VG86-5	Q3054V86-5	Q3054VG86-5
60"	64"	86"	Q1860V86-5	Q1860VG86-5	Q2160V86-5	Q2160VG86-5	Q2460V86-5	Q2460VG86-5	Q3060V86-5	Q3060VG86-5
66"	70"	86"	Q1866V86-5	Q1866VG86-5	Q2166V86-5	Q2166VG86-5	Q2466V86-5	Q2466VG86-5	Q3066V86-5	Q3066VG86-5
72"	76"	86"	Q1872V86-5	Q1872VG86-5	Q2172V86-5	Q2172VG86-5	Q2472V86-5	Q2472VG86-5	Q3072V86-5	Q3072VG86-5

* Dimensions are nominal.

Starter Units — 5-Tier with Bottom Dunnage Shelf

- Contains: 2 Uprights; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Starter units come with four wire shelves, four pairs of brackets and one dunnage shelf
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights



See spec sheet **EG01.58F**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	28"	86"	Q1824V86-5D	Q1824VG86-5D	Q2124V86-5D	Q2124VG86-5D	Q2424V86-5D	Q2424VG86-5D	-	-
30"	34"	86"	Q1830V86-5D	Q1830VG86-5D	Q2130V86-5D	Q2130VG86-5D	Q2430V86-5D	Q2430VG86-5D	Q3030V86-5D	Q3030VG86-5D
36"	40"	86"	Q1836V86-5D	Q1836VG86-5D	Q2136V86-5D	Q2136VG86-5D	Q2436V86-5D	Q2436VG86-5D	Q3036V86-5D	Q3036VG86-5D
42"	46"	86"	Q1842V86-5D	Q1842VG86-5D	Q2142V86-5D	Q2142VG86-5D	Q2442V86-5D	Q2442VG86-5D	Q3042V86-5D	Q3042VG86-5D
48"	52"	86"	Q1848V86-5D	Q1848VG86-5D	Q2148V86-5D	Q2148VG86-5D	Q2448V86-5D	Q2448VG86-5D	Q3048V86-5D	Q3048VG86-5D
54"	58"	86"	Q1854V86-5D	Q1854VG86-5D	Q2154V86-5D	Q2154VG86-5D	Q2454V86-5D	Q2454VG86-5D	Q3054V86-5D	Q3054VG86-5D
60"	64"	86"	Q1860V86-5D	Q1860VG86-5D	Q2160V86-5D	Q2160VG86-5D	Q2460V86-5D	Q2460VG86-5D	Q3060V86-5D	Q3060VG86-5D
66"	70"	86"	Q1866V86-5D	Q1866VG86-5D	Q2166V86-5D	Q2166VG86-5D	Q2466V86-5D	Q2466VG86-5D	Q3066V86-5D	Q3066VG86-5D
72"	76"	86"	Q1872V86-5D	Q1872VG86-5D	Q2172V86-5D	Q2172VG86-5D	Q2472V86-5D	Q2472VG86-5D	Q3072V86-5D	Q3072VG86-5D

* Dimensions are nominal.



Q-LEVER® 5-Tier Starter Units

Add-On Units — 5-Tier with All Wire Shelves

- Contains: 1 Upright; 2 Braces; X-brace assembly; hardware
- For side to side expansion of existing upright frame
- Add-On units come with five wire shelves and four pairs of brackets
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright



See spec sheet **EG01.59E**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	25½"	86"	Q1824V86A-5	Q1824VG86A-5	Q2124V86A-5	Q2124VG86A-5	Q2424V86A-5	Q2424VG86A-5	-	-
30"	31½"	86"	Q1830V86A-5	Q1830VG86A-5	Q2130V86A-5	Q2130VG86A-5	Q2430V86A-5	Q2430VG86A-5	Q3030V86A-5	Q3030VG86A-5
36"	37½"	86"	Q1836V86A-5	Q1836VG86A-5	Q2136V86A-5	Q2136VG86A-5	Q2436V86A-5	Q2436VG86A-5	Q3036V86A-5	Q3036VG86A-5
42"	43½"	86"	Q1842V86A-5	Q1842VG86A-5	Q2142V86A-5	Q2142VG86A-5	Q2442V86A-5	Q2442VG86A-5	Q3042V86A-5	Q3042VG86A-5
48"	49½"	86"	Q1848V86A-5	Q1848VG86A-5	Q2148V86A-5	Q2148VG86A-5	Q2448V86A-5	Q2448VG86A-5	Q3048V86A-5	Q3048VG86A-5
54"	55½"	86"	Q1854V86A-5	Q1854VG86A-5	Q2154V86A-5	Q2154VG86A-5	Q2454V86A-5	Q2454VG86A-5	Q3054V86A-5	Q3054VG86A-5
60"	61½"	86"	Q1860V86A-5	Q1860VG86A-5	Q2160V86A-5	Q2160VG86A-5	Q2460V86A-5	Q2460VG86A-5	Q3060V86A-5	Q3060VG86A-5
66"	67½"	86"	Q1866V86A-5	Q1866VG86A-5	Q2166V86A-5	Q2166VG86A-5	Q2466V86A-5	Q2466VG86A-5	Q3066V86A-5	Q3066VG86A-5
72"	73½"	86"	Q1872V86A-5	Q1872VG86A-5	Q2172V86A-5	Q2172VG86A-5	Q2472V86A-5	Q2472VG86A-5	Q3072V86A-5	Q3072VG86A-5

* Dimensions are nominal.

Add-On Units — 5-Tier with Bottom Dunnage Shelf

- Contains: 1 Upright; 2 Braces; X-brace assembly; hardware
- Uprights utilize pins on 2" centers for maximum flexibility for shelves and accessories
- Add-On units come with four wire shelves, four pairs of brackets and one dunnage shelf
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright



See spec sheet **EG01.59F**

Shelf Length	Unit * Length	Unit * Height	...with 18"-wide shelves		...with 21"-wide shelves		...with 24"-wide shelves		...with 30"-wide shelves	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
24"	25½"	86"	Q1824V86A-5D	Q1824VG86A-5D	Q2124V86A-5D	Q2124VG86A-5D	Q2424V86A-5D	Q2424VG86A-5D	-	-
30"	31½"	86"	Q1830V86A-5D	Q1830VG86A-5D	Q2130V86A-5D	Q2130VG86A-5D	Q2430V86A-5D	Q2430VG86A-5D	Q3030V86A-5D	Q3030VG86A-5D
36"	37½"	86"	Q1836V86A-5D	Q1836VG86A-5D	Q2136V86A-5D	Q2136VG86A-5D	Q2436V86A-5D	Q2436VG86A-5D	Q3036V86A-5D	Q3036VG86A-5D
42"	43½"	86"	Q1842V86A-5D	Q1842VG86A-5D	Q2142V86A-5D	Q2142VG86A-5D	Q2442V86A-5D	Q2442VG86A-5D	Q3042V86A-5D	Q3042VG86A-5D
48"	49½"	86"	Q1848V86A-5D	Q1848VG86A-5D	Q2148V86A-5D	Q2148VG86A-5D	Q2448V86A-5D	Q2448VG86A-5D	Q3048V86A-5D	Q3048VG86A-5D
54"	55½"	86"	Q1854V86A-5D	Q1854VG86A-5D	Q2154V86A-5D	Q2154VG86A-5D	Q2454V86A-5D	Q2454VG86A-5D	Q3054V86A-5D	Q3054VG86A-5D
60"	61½"	86"	Q1860V86A-5D	Q1860VG86A-5D	Q2160V86A-5D	Q2160VG86A-5D	Q2460V86A-5D	Q2460VG86A-5D	Q3060V86A-5D	Q3060VG86A-5D
66"	67½"	86"	Q1866V86A-5D	Q1866VG86A-5D	Q2166V86A-5D	Q2166VG86A-5D	Q2466V86A-5D	Q2466VG86A-5D	Q3066V86A-5D	Q3066VG86A-5D
72"	73½"	86"	Q1872V86A-5D	Q1872VG86A-5D	Q2172V86A-5D	Q2172VG86A-5D	Q2472V86A-5D	Q2472VG86A-5D	Q3072V86A-5D	Q3072VG86A-5D

* Dimensions are nominal.



Worktables with Open Base

- Contains: table top; uprights; legs; feet; X-brace assembly
- Table top constructed of 14 gauge type 304 stainless steel
- Removable table top, without the need for tools
- 4½" backsplash
- Valu-Master® gray epoxy finish on uprights



Shelf Length	Unit * Length	Unit * Height	...with 24"-wide table top		...with 30"-wide table top	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	36"	Q2436V36-WO	Q2436VG36-WO	Q3036V36-WO	Q3036VG36-WO
42"	43½"	36"	Q2442V36-WO	Q2442VG36-WO	Q3042V36-WO	Q3042VG36-WO
48"	49½"	36"	Q2448V36-WO	Q2448VG36-WO	Q3048V36-WO	Q3048VG36-WO
54"	55½"	36"	Q2454V36-WO	Q2454VG36-WO	Q3054V36-WO	Q3054VG36-WO
60"	61½"	36"	Q2460V36-WO	Q2460VG36-WO	Q3060V36-WO	Q3060VG36-WO

* Dimensions are nominal.

Worktables with Storage Shelf

- Contains: table top; uprights; legs; feet; X-brace assembly; heavy duty dunnage shelf
- Table top constructed of 14 gauge type 304 stainless steel
- Removable table top, without the need for tools
- 4½" backsplash
- Valu-Master® gray epoxy finish on uprights



Shelf Length	Unit * Length	Unit * Height	...with 24"-wide table top		...with 30"-wide table top	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	36"	Q2436V36-WS	Q2436VG36-WS	Q3036V36-WS	Q3036VG36-WS
42"	43½"	36"	Q2442V36-WS	Q2442VG36-WS	Q3042V36-WS	Q3042VG36-WS
48"	49½"	36"	Q2448V36-WS	Q2448VG36-WS	Q3048V36-WS	Q3048VG36-WS
54"	55½"	36"	Q2454V36-WS	Q2454VG36-WS	Q3054V36-WS	Q3054VG36-WS
60"	61½"	36"	Q2460V36-WS	Q2460VG36-WS	Q3060V36-WS	Q3060VG36-WS

* Dimensions are nominal.



Overhead Storage Stations

- Contains: uprights; legs; feet; X-brace assembly; two adjustable shelves
- Shelves adjust on 2" increments
- Table top is removable, without the need for tools
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights

Shelf Length	Unit * Length	Unit * Height	...with 24" overall width		...with 30" overall width	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	76"	Q2436V76-OS	Q2436VG76-OS	Q3036V76-OS	Q3036VG76-OS
42"	43½"	76"	Q2442V76-OS	Q2442VG76-OS	Q3042V76-OS	Q3042VG76-OS
48"	49½"	76"	Q2448V76-OS	Q2448VG76-OS	Q3048V76-OS	Q3048VG76-OS
54"	55½"	76"	Q2454V76-OS	Q2454VG76-OS	Q3054V76-OS	Q3054VG76-OS
60"	61½"	76"	Q2460V76-OS	Q2460VG76-OS	Q3060V76-OS	Q3060VG76-OS

* Dimensions are nominal.



Task Stations

- Contains: table top; uprights; legs; feet; X-brace assembly; wall grid; two adjustable shelves
- Wall grid features 3" x 3" mesh
- Table top is removable, without the need for tools
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights

Shelf Length	Unit * Length	Unit * Height	...with 24" table top		...with 30" table top	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	76"	Q2436V76-TS	Q2436VG76-TS	Q3036V76-TS	Q3036VG76-TS
42"	43½"	76"	Q2442V76-TS	Q2442VG76-TS	Q3042V76-TS	Q3042VG76-TS
48"	49½"	76"	Q2448V76-TS	Q2448VG76-TS	Q3048V76-TS	Q3048VG76-TS
54"	55½"	76"	Q2454V76-TS	Q2454VG76-TS	Q3054V76-TS	Q3054VG76-TS
60"	61½"	76"	Q2460V76-TS	Q2460VG76-TS	Q3060V76-TS	Q3060VG76-TS

* Dimensions are nominal.



Utility Stations

- Contains: table top; drawers; uprights; legs; feet; X-brace assembly; wall grid; two adjustable shelves; heavy duty dunnage shelf
- Table top is removable, without the need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright

Shelf Length	Unit * Length	Unit * Height	...with 24"-wide table top		...with 30"-wide table top	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	76"	Q2436V76-US	Q2436VG76-US	Q3036V76-US	Q3036VG76-US
42"	43½"	76"	Q2442V76-US	Q2442VG76-US	Q3042V76-US	Q3042VG76-US
48"	49½"	76"	Q2448V76-US	Q2448VG76-US	Q3048V76-US	Q3048VG76-US
54"	55½"	76"	Q2454V76-US	Q2454VG76-US	Q3054V76-US	Q3054VG76-US
60"	61½"	76"	Q2460V76-US	Q2460VG76-US	Q3060V76-US	Q3060VG76-US

* Dimensions are nominal.



Manager's Stations

- Contains: table top; drawers; uprights; legs; feet; X-brace assembly; power strip; overhead light; monitor arm; wall grid; bin holder
- Table top is removable, without the need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights

Shelf Length	Unit * Length	Unit * Height	...with 24"-wide table top		...with 30"-wide table top	
			Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves	Units with Valu-Master® gray shelves	Units with Valu-Gard® green shelves
36"	37½"	76"	Q2436V76-MS	Q2436VG76-MS	Q3036V76-MS	Q3036VG76-MS
42"	43½"	76"	Q2442V76-MS	Q2442VG76-MS	Q3042V76-MS	Q3042VG76-MS
48"	49½"	76"	Q2448V76-MS	Q2448VG76-MS	Q3048V76-MS	Q3048VG76-MS
54"	55½"	76"	Q2454V76-MS	Q2454VG76-MS	Q3054V76-MS	Q3054VG76-MS
60"	61½"	76"	Q2460V76-MS	Q2460VG76-MS	Q3060V76-MS	Q3060VG76-MS

* Dimensions are nominal.



shown with optional storage baskets, supply bins and hooks



Full-Extension Drawers

- Drawers are made out of stainless steel construction.
- Choice of two 3" tall drawers, or one 6" tall drawer.
- Screws into existing holes in underside of Q-LEVER® workstation top.
- Precision steel ball bearing drawer slides for medium-duty applications.
- Drawer profile features an easy to operate disconnect finger release trigger.
- Load capacity is 100 lbs. (45 kg).



To order optional lock, contact factory.

<i>description</i>	<i>Model No.</i>
one 6"-tall drawers	QDRAWER-1
two 3"-tall drawers	QDRAWER-2

Table Tops

- Table top is made of heavy gauge polished stainless steel construction.
- Table tops have a 4" backsplash.
- Square edges are turned down 90°, with a 30° kick in the front.
- Table top reinforced with hat channel construction underneath.
- Channel construction provides holes to accept drawers.
- Table tops are removable.



24"-wide Table Tops		30"-wide Table Tops	
<i>Length</i>	<i>Model No.</i>	<i>Length</i>	<i>Model No.</i>
24"	Q2424T	48"	Q2448T
30"	Q2430T	54"	Q2454T
36"	Q2436T	60"	Q2460T
42"	Q2442T	72"	Q2472T

Overhead Lights


- Overhead light shelf is powder-coated Valu-Master® gray.
- Light fixture is powder white.
- Light fixture is dimmable.
- Built in on and off switch with a high/low output option.
- Color temp = Warm White
- Power cord is 6' 6" in length.
- Adjustable on Q-LEVER® uprights.



<i>Length</i>	<i>Model No.</i>	<i>Length</i>	<i>Model No.</i>
24"	Q24VL	48"	Q48VL
30"	Q30VL	54"	Q54VL
36"	Q36VL	60"	Q60VL
42"	Q42VL	72"	Q72VL

Power Strips


- Power strip mount is powder-coated Valu-Master® gray.
- Power strip is powder coated black.
- Power strip is 120V, 5-15P.
- Outlets are placed at right angle to accommodate bulky transformers.
- Comes with a 15' AC power cord.
- Lighted power switch confirms power on/off status.
- Snap-in switch guard prevents accidental turn off.
- Uses a 15A circuit breaker.
- Adjustable on Q-LEVER® uprights.



<i>Length</i>	<i>Model No.</i>	<i>Length</i>	<i>Model No.</i>
24"	Q24VP	48"	Q48VP
30"	Q30VP	54"	Q54VP
36"	Q36VP	60"	Q60VP
42"	Q42VP	72"	Q72VP

Flat Panel Monitor Arm

- Flat panel monitor arm is plated powder-coated black.
- Can pivot left to right.
- Universal VESA mount – 100 x 100mm and 75 x 75 mm hole pattern.
- Accepts all flat pattern monitors 10" to 30".
- Has internal area for internal cable management for a neat appearance.
- Adjustable on Q-LEVER® uprights.
- Can be mounted on either side of upright.
- Weight capacity is 14 lbs (6.4 kg).




Model No.
QARM

Wall Grids

- Wires are 2-gauge mild steel, crisscrossed to create a 3" x 3" mesh
- Easily hooks onto uprights without the need for tools
- Holds wall mat accessories
- Valu-Master® gray epoxy finish

Height x Length	Model No.
18" x 36"	Q1836VW
18" x 48"	Q1848VW
18" x 60"	Q1860VW
30" x 36"	Q3036VW
30" x 48"	Q3048VW



Hanger Rails

- Easily hooks onto uprights
- Accommodates all accessories
- Can be used as a backstop
- Valu-Master® gray epoxy finish



Length	Model No.
24"	Q24VH
30"	Q30VH
36"	Q36VH
42"	Q42VH
48"	Q48VH
54"	Q54VH
60"	Q60VH
72"	Q72VH

Supply Bins

- Made of durable polypropylene, providing longlasting years of service
- Integral molded slots accept ID labels



color	W x L x H	carton quantity	Model No.
blue	5½" x 10¾" x 5"	12	A203877
blue	11" x 10¾" x 5"	6	A203879
blue	8¼" x 14¾" x 7"	12	A203881
blue	16½" x 14¾" x 7"	6	A203883

Storage Baskets

- Easily attaches to hanger rail or side of wire shelf
- Valu-Master® gray epoxy finish



W x L x H	Model No.
5" x 13¾" x 7"	WB-V
7½" x 17¾" x 5"	WB-M-V
7½" x 17¾" x 10"	WB-L-V

Eagle Group

100 Industrial Blvd.
Clayton, DE 19938

Toll Free:
1-800-441-8440 (FDSRV)
1-800-637-5100 (MHC)

Fax: 302-653-2065

www.eaglegrp.com

How to Request a Quote?

- Quotation request get emailed to quotes@eaglegrp.com
- Fax 302-653-3091 to...
Eagle Group, Attn: SpecFAB Quote Department, 100 Industrial Blvd, Clayton, DE 19938

What to include with your request...

- Your name and dealer name
- Job or project name
- Required date for quote
- Bid date for project
- Projected installation date and timeline
- Consultant name when applicable
- Plans and specifications related to the project
- Special considerations

