




- Corrosion-free
- Wet or dry storage
- Easy assembly
- MICROGARD® antimicrobial protection

Adjustable Polymer Storage Shelving **LIFESTOR®**



EAGLE
GROUP
Profit from the Eagle Advantage®

LIFESTOR® Polymer Shelving with MICROGARD® antimicrobial protection

MICROGARD®

MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation. Now standard on all LIFESTOR® Shelving.

Applications

LIFESTOR® ADJUSTABLE POLYMER SHELVING SYSTEM COMPLIES WITH NSF® STANDARDS FOR ALL CONDITIONS. ALL MATERIALS ARE SUITABLE FOR USE RANGING FROM DISPLAY TO LOW-TEMPERATURE FREEZER ROOMS — AN ADAPTABILITY TO ANY STORAGE AREA THAT SURPASSES EXISTING COMPETITIVE PRODUCTS.



LIFESTOR® for use in commercial kitchens...

HOTELS, RESTAURANTS
AND KITCHENS

Fresh Food and Cold
Storage

Dishwashing
Food Preparation

HI-TECH

Clean Rooms
Electronics Storage &
Display

INDUSTRY

Electrochemistry
Electronic Laboratories
Food Laboratories
Organic Chemistry

RETAIL & GENERAL
STORAGE

Food Storage

Supermarkets
Logistic Centers
Exhibitions

MATERIAL HANDLING

Parts/Tool Storage
Storage & Handling

HEALTH CARE

Operating Rooms
Sterile Storage
Chemical & Biological
Labs



...in cold storage



**Assembly is
easy as 1-2-3.**

LIFESTOR® Shelving installation is so simple that one person can do it in minutes without the use of tools. After determining the location of each shelf — posts are incrementally grooved to facilitate alignment — follow these simple steps:



Mount connectors onto post by placing split sleeve on appropriate post groove and slipping connector over sleeve.



Attach side braces between posts to create a "ladder."



Attach rails between "ladders" to complete frame structure.

Finish by placing shelf sections on the front and rear rails.



Hi-Tech Storage Solution

Quick and easy to assemble...Designed to meet each customer's individual storage needs...Easily removable shelving sections for easy cleaning and upkeep...Durable injection-molded high-strength polymer to meet the demands of the industry. LIFESTOR® Shelving is the solution.


The Flexibility of Polymer Shelving

LIFESTOR® components allow a wide variety of layouts to fit available space and to meet each customer's individual storage needs. Also, this versatile system allows for the easy addition, removal or adjustment of intermediate shelves without disassembling the unit, unlike competitive shelving. Shelving is available in two widths: 18" and 23"; and in five lengths: 36", 42", 48", 54" and 60".

Available in Single/Starter Sections, Add-On Sections, Continuous Sections, T-Shaped Sections and L-Shaped Sections.



L-Shaped configuration



T-Shaped configuration



LIFESTOR® Master Trak System shown with optional enclosure panel

LIFESTOR® Master Trak® Overhead Track Polymer Storage System

Features Stationary End Units, Mobile Units, and Overhead Track Units ranging from 6' to 21' in length. Shelving is available in widths of 18" and 23" and in lengths ranging from 36" to 60". A maximum of three mobile units and 36" aisle space is allowed before a Center Stationary Unit is necessary. Stationary Units must be bolted to the floor.

- Roller design makes moving the Mobile Units faster and easier with no binding from uneven floors.
- Quick and easy assembly.
- Units available with stainless steel or clear epoxy over EagleBrite® zinc finish.
- Maximizes storage in minimum space.
- Easy access to all shelf units and shelf contents.
- Includes hardware necessary for connecting units to overhead track.

Floor-Trak™ Storage System designed for LIFESTOR® Polymer Shelving

Non-corrosive tracks are constructed of anodized aluminum. ADA-compliant system is easy to install, and easy to add on additional tracks and units. Open construction allows for use of cart covers when required. Industrial-type hardened steel bearings allow loaded units to glide effortlessly over the track. (Note: Unit will tilt if not loaded properly. Load bottom first!)




Floor-Trak™ with LIFESTOR®

LIFETIME WARRANTY:

LIFESTOR® lifetime warranty warrants against rust or corrosion on stainless steel posts and stainless steel rails.

LIFESTOR® Dunnage Racks

Features include 1½"-diameter stainless steel legs and 1¼"-diameter stainless steel crossbracing on all four sides. All units are 16" tall.



Dunnage Racks

LIFESTOR® Utility Carts

Shelves can be removed or adjusted without disassembling entire cart. Easy to assemble in minutes – only one person required. All units feature three tiers. Features heavy-duty 5"-diameter swivel casters with rotary bumper, two with brake.



LIFESTOR® Utility Cart

LIFESTOR® Components & Accessories

Standard components include Posts, Split Sleeves & Lugs, Rails, Side Braces, and Shelf Sections. To connect Add-On Units for "L" or "T" configuration, Add-On Kits (consisting of "U" connectors and notched shelf sections) are required. Posts and rails are offered in epoxy-coated EagleBrite® zinc or type 304 stainless steel finish. All other components are made of injection-molded, high-strength polymer. For more information, see catalog sheet EG01.12A.

The following items listed are optional accessories available to maximize the efficiency and versatility of the unit:

Tote Slide System: Only available for 23" wide shelves. System is suspended from the unit's rails via four shelf slide clips.

Casters and Caster Posts: Casters are 5" diameter, swivel, and available with brake. Posts are stainless steel or zinc-plated mild steel tubing. (Note: Stainless steel or zinc side braces are required for use with casters.)

Ledges and Dividers: Ledges offered in 1" and 4" heights. Dividers are 8". Both feature Valu-Gard® green epoxy finish.

Enclosure Panels: 3" grid. Features Valu-Gard® green epoxy finish.

Tray Drying Racks: Perfect for bun pans, cutting boards, server trays and pizza pans. Fits shelves 48" and longer. Features 14 holding slots with 3" spacing or 28 holding slots with 1½" spacing. Valu-Gard® green epoxy finish.

Wall Brackets: LIFESTOR® is now wall-mountable! Valu-Gard® green epoxy finish. Mounting plates included.




Tote Slide System



Tray Drying Rack



Enclosure Panels



Wall Bracket



Ledges



Dividers

LIFESTOR® Undershelves for Dishtables and Worktables

Available for clean or soiled dishtables with straight design, and for worktables with all-stainless steel construction. Stainless steel tubular construction with louvered polymer shelf sections (for dishtables) or with solid shelf sections (for worktables). Dishwasher-safe and non-corrosive. Polymer shelf sections are removable for ease of mopping underneath table. Four-sided adjustable stainless steel bracing ensures optimum strength and eliminates table wobble. Polymer shelf sections feature MICROGARD® antimicrobial protection.

Dishtable with LIFESTOR® undershelf —shown with optional tray drying rack



Worktable with LIFESTOR® undershelf



Foodservice Division: Phone (800) 441-8440 • FAX (302) 653-2065

MHC Division: Phone (800) 637-5100

Corporate Headquarters:

100 Industrial Boulevard • Clayton, DE

19938-8903 USA • Phone: (302) 653-3000

www.eaglegrp.com

